

Pavel Kovář: Společný systém průzkumu a monitorování evropských krajin (Živa 2020, 5: 228–231)

Citovaná a doporučená literatura

Bailey, R. G. (1996): Ecosystem geography. New York.

Barcelona Convention (1998). Revised Draft Classification of Benthic Marine Habitat Types for the Mediterranean Region. UNEP(OCA)/MED WG.149/5, Annex III.

Blasi C., Capotorti C., Smiraglia D., Guida D., Zavattero L., Mollo B., Frondoni R., Copiz R. (2010): The Ecoregions of Italy. A thematic contribution to the National Biodiversity Strategy. Ministry of Environment, Land and See Protection, Roma, Italy.

Bomans, K., Dewaelheyns V., Gulinck, H. (2009): Missing categories in open space planning. Sustainable Development and Planning IV, Vols. 1 and 2, Book Series: WIT Transactions on Ecology and the Environment, p. -317-327.

Bunce R.G.H., Groom G.B., Jongman R.H.G., Padoa-Schioppa E. (Eds.): (2005): Handbook for Surveillance and Monitoring of European Habitats. Alterra, Wageningen, The Netherlands.

Bunce R.G.H. et al. (2008): A standardized procedure for surveillance and monitoring European habitats and provision of spatial data. *Landscape Ecology* 23, 11-25.

Clerici, N., Weisseiner, C. J., Gerard, F. (2012): Exploring the Use of MODIS NDVI-Based Phenology Indicators for Classifying Forest General Habitat Categories. *Remote Sensing*, 4, 1781-1803.

Connor D.W., Allen J.H., Golding N., Howell K.L., Lieberknecht L.M., Northen K.O., Reker J.B. (2004) Marine Habitat Classification for Britain and Ireland Version 04.05. JNCC, Peterborough.

Davies C.E., Moss D., Hill M.O. (2004): EUNIS Habitat Classification Revised 2004. Report to the European Topic Centre on Nature Protection and Biodiversity. European Environment Agency.

Devillers P., Devillers-Terschuren J., Ledant J.-P. (1991): CORINE biotopes manual. Volume 2. Habitats of the European Community. Office for Official Publications of the European Communities, Luxembourg.

Devillers P., Devillers-Terschuren J. (1996): A classification of Palearctic habitats. Council of Europe, Strasbourg: Nature and environment, No 78.

Ellenberg, H. a kol. (1992): Zeigerwerte der Pflanzen in Mitteleuropa. Scripta Geobotanica, 18, 1 - 248, ISBN 3-88452-518-2.

Helsinki Commission (1998): Red List of Marine and Coastal Botopes and Biotope Complexes of the Baltic Sea, Belt Sea and Kattegat Baltic Sea Environment Proceedings, No. 75 Baltic Marine Environment Protection Commission, Helsinki.

Hermans, C. M. L., Geijzendorffer, I. R., Ewertb, F., Metzger, M. J., Verejkene, P. H., Woltjerf, G. B., Verhagene, A. (2010): Exploring the future of European crop production in a liberalised market, with specific consideration of climate change and the regional competitiveness. *Ecological Modelling*, 221, 2177–2187.

Kovář, P. (2010): Rozhovory se Živou. Živa-Academia, Praha.

Krajina, V. J. (1965): Biogeoclimatic zones and classification of British Columbia. Ecology of Western North America, Department of Botany, University of British Columbia, Vancouver, BC. 1: 1-17.

Li, S., Pu, G., Cheng, C., Chen, B. (2019): Method for managing and querying geo-spatial data using a grid-code-array spatial index. *Earth Science Informatics*, 12(2), 173-181.

Lyle, G. (2015): Understanding the nested, multi-scale, spatial and hierarchical nature of future climate change adaptation decision making in agricultural regions: A narrative literature review. *Journal of Rural Studies*, 37, 38-49.

Mairotta, P., Cafarelli, B., Didham, R. K., Lovergne, F. P., Lucas, R. M. (2015), Challenges and opportunities in harnessing satellite remote-sensing for biodiversity monitoring. *Ecological Informatics*, 30, 207-2014.

Mallinis, G., Emmanoloudis, D., Giannakopoulos, V., Maris, F., Koutsias, N. (2011): Mapping and interpreting historical land cover/land use changes in a Natura 2000 site using earth observational data: The case of Nestos delta, Greece. *Applied Geography*, 31: 312-320.

Manakos, I., Technitou, E., Petrou, Z., Karydas, C., Tomaselli, V., Veronico, G., Mountrakis, G. (2016): Multi-modal knowledge base generation from very high resolution satellite imagery for habitat mapping. *European Journal of Remote Sensing*, 49, 1033-1060.

Martín-Martín, C., Robert G.H. Bunce, R. G. H., Saurad, S., Ramón Elena-Rosselló, R. (2013): Changes and interactions between forest landscape connectivity and burnt area in Spain. *Ecological Indicators*, 33, 129– 138.

Metzger, M. J., Bunce, R. G. H., Jongman, R. H. G., Mücher, C. A. (2005): A climatic stratification of the environment of Europe. *Global Ecology and Biogeography*, 14, 549-563.

Mücher, C. A., Hennekens, S. M., Bunce, R. G. H., Schaminée, J. H. J., Schaepman, M. E. (2009): Modelling the spatial distribution of Natura 2000 habitats across Europe. *Landscape and Urban Planning*, 92, 148-159.

Nicolin, A.-L., Niculescu, N., Imbrea, L.-M., Arsene, G.-G., Bădescu, B., Bărbos, M. I., Filipaş, L. (2014): Biodiversity, spatial and conservation status assessment on alluvial gallery-forests within the Natura 2000 site Cheile Nerei-Beuşniţa. *Research Journal of Agricultural Science*, 46 (2), 222-232.

Niphadkar, M., Ficetola, G. F., Bonardi, A., Nagendra, H., Padoa-Schioppa, E. (2016): Effects of landscape context on the invasive species *Lantana camara* in Biligiri Rangaswamy Temple Tiger Reserve, India. *Tropical Ecology*, 57(1): 9-21.

Ortega M., Guerra C., Honrado J. P., Metzger M. J., Bunce R. G. H., Jongman R. G. H. (2013): Surveillance of habitats and plant diversity indicators across a regional gradient in the Iberian Peninsula. *Ecological Indicators*, 33, 36-44.

Petřík, P., Pergl, J., Wild, J. (2010): Recording effort biases the species richness cited in plant distribution atlases. *Perspectives in Plant Ecology, Evolution and Systematics*, 12, 57–65.

Pirani, F. J., Mousavi, S. A. (2016): Integrating socio-economic and biophysical data to enhance watershed management and planning. *Journal of Hydrology*, 540, 727-735.

Poncet, L., Spyropoulou, R., Martins, I. P. (eds.) (2014): Terrestrial habitat mapping in Europe: an overview. EEA Technical report No 1/2014, 5 - 152.

Read, C. F., Duncan, D. H., Vesk, P. A., Elith, J. (2014): Biocrust morphogroups provide an effective and rapid assessment tool for drylands. *Journal of Applied Ecology*, 51, 1740–1749.

Renetzeder, C., Knoflacher, M., Loibl, W., Wrbka, T. (2010): Are habitats of Austrian agricultural landscapes sensitive to climate change? *Landscape and Urban Planning*, 98, 150-159.

Roux, C., Thébaud, G., Bouzillé J.-B., Bonis, A., Hennekens, S. (2019): Describing vegetation at the landscape level: "Paysage", a database designed for series and geoseries dataset. *Contributii Botanice*, LIV: 13-24

Ståhl G., Allard A., Esseen P.-A., Glimskär A., Ringvall A., Svensson J., Sundquist S., Christensen P., Torrell Å. G., Högström M., Lagerquist K., Marklund L., Nilsson B., Inghe O. (2011): National Inventory of Landscapes in Sweden (NILS)—scope, design, and experiences from establishing a multiscale biodiversity monitoring system. *Environ. Monit. Assess.*, 173, 579-595.

Sočava, V. B. (1978): Vveděnije v učenije o geosistémach. Nauka. Novosibirsk.

Sugai L.S.M. (2020): Pandemics and the Need for Automated Systems for Biodiversity Monitoring, *Journal of Wildlife Management*, August 2020, o. 1-3, DOI: 10.1002/jwmg.21946

Tomaselli, V., Tenerelli, P., Sciandrello, S. (2012): Mapping and quantifying habitat fragmentation in small coastal areas: a case study of three protected wetlands in Apulia (Italy). *Environmental Monitoring Assessment*, 184, 693–713.

Tüxen, R. (1956): Die heutige potentielle natürliche Vegetation als Gegenstand der Vegetationskartierung. *Angew. Pfl.-Soziol.*, Stolzenau/Weser, 13: 5–42.

Viloslada, M., Bunce, R.G.H., Sepp, K., Jongman, R.H.G., Metzger, M.J., Kull, T., Raet, J., Kuusemets, V., Kull, A., Leito, A. (2016): A framework for habitat monitoring and climate change modelling: construction and validation of the Environmental Stratification of Estonia. *Reg. Environ. Change*, 17, 335-349.