

**Použitá a citovaná literatura**

**Fezouatské břidlice**

- Botting, J.P. 2016. Diversity and ecology of sponges in the Early Ordovician Fezouata Biota, Morocco. *Palaeogeography, Palaeoclimatology, Palaeoecology* 460, 75–86.
- Lefebvre, B., Allaire, N., Guensberg, T.E., Hunter, A.W., Kouraïss, K., Martin, E.L.O., Nardin, E., Noailles, F., Pittet, B., Sumrall, C.D., Zamora, S. 2016. Palaeoecological aspects of the diversification of echinoderms in the Lower Ordovician of central Anti-Atlas, Morocco. *Palaeogeography, Palaeoclimatology, Palaeoecology* 460, 97–121.
- Lefebvre, B., El Hariri, K., Lerosey-Aubril, R., Servais, T., Van Roy, P. 2016. The Fezouata Shale (Lower Ordovician, Anti-Atlas, Morocco): A historical review. *Palaeogeography, Palaeoclimatology, Palaeoecology* 460, 7–23.
- Lefebvre, B., Gutiérrez-Marco, J.C., Lehnert, O., Martin, E.L.O., Nowak, H., Akodad, M., El Hariri, K., Servais, T. 2018. Age calibration of the Lower Ordovician Fezouata Lagerstätte, Morocco. *Lethaia* 51, 296–311.
- Lehnert, O., Nowak, H., Sarmiento, G.N., Gutiérrez-Marco, J.C., Akodad, M., Servais, T. 2016. Conodonts from the Lower Ordovician of Morocco — Contributions to age and faunal diversity of the Fezouata Lagerstätte and peri-Gondwana biogeography. *Palaeogeography, Palaeoclimatology, Palaeoecology* 460, 50–61.
- Martin, E.L.O., Lerosey-Aubril, R., Vannier, J. 2016. Palaeoscolecid worms from the Lower Ordovician Fezouata Lagerstätte, Morocco: Palaeoecological and palaeogeographical implications. *Palaeogeography, Palaeoclimatology, Palaeoecology* 460, 130–141.
- Martin, E.L.O., Pittet, B., Gutiérrez-Marco, J.C., Vannier, J., El Hariri, K., Lerosey-Aubril, R., Masrour, M. Nowak, H., Servais, T., Vandenbroucke, T.R.A., Van Roy, P., Vaucher, R., Lefebvre, B. 2016. The Lower Ordovician Fezouata Konservat-Lagerstätte from Morocco: Age, environment and evolutionary perspectives. *Gondwana Research* 34, 274–283.
- Martin, E.L.O., Vidal, M., Vizcaïno, D., Vaucher, R., Sansjofre, P., Lefebvre, B., Destombes, J. 2016. Biostratigraphic and palaeoenvironmental controls on the trilobite associations from the Lower Ordovician Fezouata Shale of the central Anti-Atlas, Morocco. *Palaeogeography, Palaeoclimatology, Palaeoecology* 460, 142–154.
- Nowak, H., Servais, T., Pittet, B., Vaucher, R., Akodad, M., Gaines, R.R., Vandenbroucke, T.R.A. 2016. Palynomorphs of the Fezouata Shale (Lower Ordovician, Morocco): Age and environmental constraints of the Fezouata Biota. *Palaeogeography, Palaeoclimatology, Palaeoecology* 460, 62–74.
- Pérez-Peris, F., Laibl, L., Lustri, L., Gueriau, P., Antcliffe, J.B., Bath Enright, O.G., Daley, A.C. 2021. A new nektaspid euarthropod from the Lower Ordovician strata of Morocco. *Geological Magazine* 158, 509–517.
- Pérez-Peris, F., Laibl, L., Vidal, M., Daley, A.C. 2021. Systematics, morphology, and appendages of an Early Ordovician pilekiine trilobite *Anacheirurus* from Fezouata Shale and the early diversification of Cheiruridae. *Acta Palaeontologica Polonica* 66, 857–877.

- Saleh, F., Antcliffe, J.B., Lefebvre, B., Pittet, B., Laibl, L., Perez Periz, F., Lustri, L., Gueriau, P., Daley, A.C. 2020. Taphonomic bias in exceptionally preserved biotas. *Earth and Planetary Science Letters* 529, 115873.
- Saleh, F., Vaucher, R., Antcliffe, J.B., Daley, A.C., El Hariri, K., Kouraiss, K., Lefebvre, B., Martin, E.L.O., Perrillat, J.P., Sansjofre, P., Vidal, M., Pittet, B. 2021. Insights into soft-part preservation from the Early Ordovician Fezouata Biota. *Earth-Science Reviews* 213, 103464.
- Van Roy, P., Orr, P.J., Botting, J.P., Muir, L.A., Vinther, J., Lefebvre, B., El Hariri, K., Briggs, D.E.G. 2010. Ordovician faunas of Burgess Shale type. *Nature* 465, 215–218.
- Van Roy, P., Briggs, D.E.G., Gaines, R.R. 2015. The Fezouata fossils of Morocco; an extraordinary record of marine life in the Early Ordovician. *Journal of the Geological Society* 172, 541–549.
- Van Roy, P., Daley, A.C., Briggs, D.E.G. 2015. Anomalocaridid trunk limb homology revealed by a giant filter-feeder with paired flaps. *Nature* 522, 77–80.
- Vaucher, R., Pittet, B., Hormière, H., Martin, E.L.O., Lefebvre, B. 2017. A wave dominated, tide-modulated model for the Lower Ordovician of the Anti-Atlas, Morocco. *Sedimentology* 64, 777–807.
- Vinther, J., Parry, L., Briggs, D.E.G., Van Roy, P. 2017. Ancestral morphology of crown-group molluscs revealed by a new Ordovician stem aculiferan. *Nature* 542, 471–474.
- Vinther, J., Van Roy, P., Briggs, D.E.G. 2008. Machaeridians are Palaeozoic armoured annelids. *Nature* 451, 185–188.

## Letenské souvrství

- Fatka, O., Lerosey-Aubril, R., Budil, P., Rak, Š. 2013. Fossilised guts in trilobites from the Upper Ordovician Letná Formation (Prague Basin, Czech Republic). *Bulletin of Geosciences* 88, 95–104.
- Chlupáč, I. 1999. Some problematical arthropods from the Upper Ordovician Letná Formation of Bohemia. *Journal of the Czech Geological Society* 44, 79–87.
- Chlupáč, I. 1988. The enigmatic arthropod *Duslia* from the Ordovician of Czechoslovakia. *Palaeontology* 31, 611–620.
- Nohejlová, M., Lefebvre, B., Nardin, E., Fatka, O., Budil, P. 2019. New echinoderm lagerstätte from the Letná Formation (Sandbian, Upper Ordovician) of Bohemia. *Abstracts of the 10th European Conference on Echinoderms*, Moscow, str. 69.
- Prokop, R. J. 1965. *Argodiscus horneyi* gen. n. et sp. n. (Edrioasteroidea) from the Middle Ordovician of Bohemia and a contribution to the ecology of the edrioasteroids. *Časopis Národního muzea, řada přírodovědná* 134, 30–32.
- Rak, Š., Ortega-Hernández, J., Legg, D.A. 2013. A revision of the Late Ordovician marrellomorph arthropod *Furca bohemica* from Czech Republic. *Acta Palaeontologica Polonica* 58, 615–628.
- Van Roy, P., Rak, Š., Budil, P., Fatka, O. 2021. Upper Ordovician Thylacocephala (Euarthropoda, Eucrustacea) from Bohemia indicate early ecological differentiation. *Papers in Palaeontology* 7, 1727–1751.

## Tafilaltská biota

- Gutiérrez-Marco, J.C., Van Roy, P., Lefebvre, B., Zamora, S., Pereira, S., Rábano, I. 2020. Le Tafilalt Biota: des animaux au corps mou dans des sables de l'Ordovicien supérieur du Maroc. *Géochronique* 153, 45–51.
- Hunter, A.W., Álvaro, J., Lefebvre, B., Van Roy, P., Zamora, S. V tisku. *The Great Ordovician Biodiversification Event: Insights from the Tafilalt Biota, Morocco.* Geological Society, London, Special Publications.
- Lebrun, P. 2018. Fossils from Morocco: Volume I. Emblematic localities from the Palaeozoic of the Anti-Atlas. *Les Éditions du Piat*, Saint-Julien-du-Pinet. 298 str.

## Beecherova vrstva s trilobity

- Briggs, D.E.G., Bottrell, S.H., Raiswell, R. 1991. Pyritization of soft-bodied fossils: Beecher's Trilobite Bed, Upper Ordovician, New York State. *Geology* 19, 1221–1224.
- Farrell, U.C., Martin, M.J., Hagadorn, J.W., Whiteley, T., Briggs, D.E.G. 2009. Beyond Beecher's Trilobite Bed: Widespread pyritization of soft tissues in the Late Ordovician Taconic foreland basin. *Geology* 37, 907–910.
- Hegna, T., Martin, M.J., Darroch, S.A.F. 2017. Pyritized in situ trilobite eggs from the Ordovician of New York (Lorraine Group): Implications for trilobite reproductive biology. *Geology* 45, 199–202.
- Ortega-Hernández, J., Brena, C. 2012. Ancestral Patterning of Tergite Formation in a Centipede Suggests Derived Mode of Trunk Segmentation in Trilobites. *PLoS ONE* 7, e52623.
- Siveter, D.J., Tanaka, G., Farrell, U.C., Martin, M.J., Siveter, D.J., Briggs, D.E.G. 2014. Exceptionally preserved 450-million-year-old Ordovician ostracods with brood care. *Current Biology* 24, 801–806.
- Whittington, H.B., Almond, J.E. 1987. Appendages and Habits of the Upper Ordovician Trilobite *Triarthrus eatoni*. *Philosophical Transactions of the Royal Society of London, Series B, Biological Sciences* 317, 1–46.

## Soomské břidlice

- Aldridge, R.J., Theron, J.N. 1993. Conodonts with preserved soft tissues from a new Ordovician Konservat-Lagerstätte. *Journal of Micropalaeontology* 12, 113–117.
- Braddy, S.J., Aldridge, R.J. & Theron, J.N. 1995. A new eurypterid from the Late Ordovician Table Mountain Group, South Africa. *Palaeontology* 38, 563–581.
- Gabbott, S.E. 1999. Orthoconic cephalopods and associated fauna from the Late Ordovician Soom Shale Lagerstätte, South Africa. *Palaeontology* 42, 123–148.
- Gabbott, S.E., Aldridge, R.J., Theron, J.N. 1995. A giant conodont with preserved muscle tissue from the Upper Ordovician of South Africa. *Nature* 374, 800–803.
- Gabbott, S.E., Browning, C., Theron, J.N., Whittle, R.J. 2016. The late Ordovician Soom Shale Lagerstätte: an extraordinary post-glacial fossil and sedimentary record. *Journal of the Geological Society* 174, 1–9.