

Odkazy a doporučená literatura

- [Abrahão A, de Britto Costa P, Teodoro GS, et al. 2020.](#) Vellozioid roots allow for habitat specialization among rock- and soil-dwelling Velloziaceae in campos rupestres. *Funct. Ecol.* 34:442–457.
- [AbuZinada A, Robinson E, Nader I, Al Wetaid Y. 2004.](#) First Saudi Arabian National Report on the Convention on Biological Diversity. The National Commission for Wildlife Conservation and Development, Riyadh.
- Adolt, R. & Pavlis, J. 2004. Age structure and growth of *Dracaena cinnabari* populations on Socotra. *Trees* 18:43–53.
- Agardh, J. 1858. *Theoria Systematis Plantarum* 9. (Apr.-Sep. 1858). Velloziaceae. (*Vellozieae*), *nom. cons.* Validated by a diagnosis in Latin. – Type: *Vellozia* Vand. (1788).
- Alcantara, S.; Mello-Silva, R; Teodoro, G. S.; Driqueceler, K.; Ackerly, D. D. & Oliveira, R. S. 2015. Carbon assimilation and habitat segregation in resurrection plants: Comparison between desiccation- and non-desiccation-tolerant species of Neotropical Velloziaceae (Pandanales). *Functional Ecology* 29:1499–1512.
- Alcantara, S. Ree, R.H. & Mello-Silva, R. 2018. Accelerated diversification and functional trait evolution in Velloziaceae reveal new insights into the origins of the campos rupestres' exceptional floristic richness. [Annals of Botany 122\(1\):165–180.](#)
- Almeida-Abreu, P. A., & Renger, F. E. 2002. Serra do Espinhaço: um orógeno de colisão no Mesoproterozoico. *Revista Brasileira de Geociências*, 32(1):1–14.
- Alves, A. B.; Veiga Jr, V. F.; Pinto, A. C. 2002. Constituintes Químicos de Burlemarxia rodriguesii Menezes & Semir (Velloziaceae). *Revista Brasileira de Farmacognosia* 12:78–79.
- Alves, R. J. V. 1992. *Sarcoglottis caudata* (Orchidaceae) and *Vellozia kolbekii* (Velloziaceae): two new species from Minas Gerais, Brazil. *Novon* 2:299–301.
- [Alves, R. J. V. 1994.](#) Morphological age determination and longevity in some *Vellozia* populations in Brazil. *Folia Geobot. Phytotax.* 29:55–59.
- Alves, R.J.V. 2009. A letter from the past - On the dubious position of *Aelfus* in the evolutionary tree of mankind. *Nature* 462:380.
- Alves RJV (2023a). **Velloziaceae – Pandas of the Plant World** (in English) [ISBN 978-1-4475-1389-6](#). <https://www.lulu.com/shop/ruy-jos%C3%A9-v%C3%A1lka-alves/velloziaceae/ebook/product-qrwjn.html?page=1&pageSize=4>. e-pub: 7 July 2023

Alves RJV (2023b). **Velloziaceae – Pandas do Mundo Vegetal** (in Brazilian Portuguese) [ISBN 979-8-89170-006-2](#). e-pub: August 2023. <https://www.lulu.com/shop/ruy-jos%C3%A9-a9-v%C3%A1lka-alves/velloziaceae/ebook/product-z2qzg2.html?q=VELLOZIACEAE+-+Pandas+do+Mundo+Vegetal&page=1&pageSize=4>

Alves, R. J. V., Cardin, L. & Kropf, M. S. 2007. Angiosperm Disjunction “Campos Rupestres – Restingas” - a Re-evaluation. *Acta Bot. Brasil.*, 21(3):675-685.

Alves, R.J.V. & Kolbek, J. 1993. Penumbral rock communities in campo rupestre sites in Brazil. *Journal of Vegetation Science* 4: 357-366.

Alves, R.J.V. & Kolbek, J. 2000. Primary succession on quartzite cliffs in Minas Gerais, Brazil. *Biologia* 55(1): 69-83.

Alves, R. J. V. & Kolbek, J. 2010a. Can campo rupestre vegetation be floristically delimited based on vascular plant genera? *Plant Ecology* 207:67–79.

Alves, R. J. V. & Kolbek, J. 2010b. Vegetation strategy of *Vellozia crinita* (Velloziaceae). *Biologia* 65(2):254–264.

[Alves, R.J.V., Guimarães A.R., Kessous, I.M., Bernardo, J.P., Silva de Menezes, A.C. & Silva, N.G. 2021.](#) Welcome back, *Barbacenia rogieri*! *Feddes Reppertorium* 132(1):35–40.

Alves, R. J. V., Guimarães A. R., Sadala, R., Lira M. & Silva N. G. 2018. Three new species of *Barbacenia* (Velloziaceae) from Tocantins, Brazil. *Edinburgh Journal of Botany* 76(2):181–195.

Alves, R.J.V., Kolbek, J. & Becker, J. 2008. Vascular epiphyte vegetation in rocky savannas of southeastern Brazil. *Nordic Journal of Botany* 26: 101–117.

Alves, R. J. V., Menezes, M., & Souza, C. A. De. 2002. An endolithic & epilithic algal community in continental cliff quartzite in Minas Gerais, Brazil. In: 45th Symposium of the International Association for Vegetation Science, 2002, Porto Alegre. Ann. 45th Symposium of the International Association for Vegetation Science, 2002. v. 1. p. 33-33.

Alves, R.J.V., Sadala-Castilho, R., Lima, H.A., Guimarães, A.R., Wetzel, M.L.R. & Silva, N.G. 2018. A new species of the genus *Vellozia* (Velloziaceae) from Minas Gerais, Brazil, with comments on endemism, distribution and conservation. *Phytotaxa* 328(2): 140–148.

Alves, R.J.V., Silva, N. G., Fernandes Junior, A.J. & Guimarães, A.R. 2013. Longevity of the Brazilian underground tree *Jacaranda decurrens* Cham. *Anais da Academia Brasileira de Ciências* 85(2):671–677.

Alves, R.J.V.; Silva, N.G.; Oliveira, J.A.; Medeiros, D. 2014. Circumscribing campo rupestre megadiverse brazilian rocky montane savannas. *Brazilian Journal of Biology* 74: 355-362.

Alves, RJV, Silva, NG, Oliveira, JA & Medeiros, D. 2014. Circumscribing campo rupestre – megadiverse Brazilian rocky montane savanas. *Braz. J. Biol.* 74(2):355–362.

[Anonymous. 2022. *Xerophyta retinervis* Baker.](#)

Antonovics J, Bradshaw AD, Turner RG (1971) Heavy metal tolerance in plants. *Adv Ecol Res* 7:1–85.

Ayensu E. S. 1968. The Anatomy of *Barbacenopsis*, a New Genus Recently Described in the Velloziaceae. *American Journal of Botany*, 55:399–403.

Ayensu E. S. 1969. Leaf-anatomy and Systematics of Old World Velloziaceae. *Kew Bulletin* 23(2):315–335.

Ayensu, E. S. 1973. Biological and morphological aspects of the Velloziaceae. *Biotropica* 5:135–149.

Ayensu E. S. 1974. Leaf Anatomy and Systematics of New World Velloziaceae. – Smithsonian Contr. Bot. 15:1–125.

[Bailão, A.S.](#) 2021. “The Brazilian Campos in Nineteenth-Century Landscape Art.” *Environment & Society Portal, Arcadia (Spring)*, [no. 15](#). Rachel Carson Center for Environment and Society.

Barnes, R. A.; Pereira, A. L.; Scofield T C V; Brazfilho, R.; Pinto, A. C. 1984. A new triterpene from *Vellozia compacta*. *Chemical and Pharmaceutical Bulletin*, v. 32, p. 3674–3677.

Barreiro, E. J., Barreira, M. D. & Pinto, A. C. 1980. Constituintes químicos de *Barbacenia bicolor*. *An. Acad. brasil. Ci.* 52(3):489–492.

Behnke HD, J. Treutlein, M. Wink, K. Kramer, C. Schneider, Kao PC. 2000. Systematics and evolution of Velloziaceae, with special reference to sieve-element plastids and rbcL sequence data. *Botanical Journal of the Linnean Society*, Vol. 134, 93–129.

Barthlott, W. Poremski, S., Szarzynski, P. & Mund, J. P. 1996. Phytogeography and vegetation of tropical inselbergs. In: Jean-Louis Guillaumet (ed.), Belin M. (ed.), Puig H. (ed.). *Phytogéographie tropicale: réalités et perspectives* Paris: ORSTOM, 1996, p. 15-24. (Colloques et Séminaires).

Beers, T.W., Dress, P.E., and Wensel, L.C. 1966. Aspect transformation in site productivity research. *J. For.* 64: 691–692.

[Behnke HD et al. 2000](#). Systematics and evolution of Velloziaceae, with special reference to sieve-element plastids and rbcL sequence data. *Botanical Journal of the Linnean Society* 134: 93-129.

Behnke, H.-D., Hummel, E., Hillmer, S., Sauer-Gürth, H., Gonzalez, J. & Wink, M. 2013. A revision of African Velloziaceae based on leaf anatomy characters and rbcL nucleotide sequences. *Botanical Journal of the Linnean Society*, 2013, 172, 22–94.

BGCI. [2023]. PlantSearch online database. Botanic Gardens Conservation International. Richmond, U.K.

Bicalho, E. M., Soares-da-Mota, L. A. & Garcia, L. A. 2018. Temperature and light requirements for germination of species of Velloziaceae from different Brazilian rocky outcrops. *Acta Botanica Brasilica* 32(2):240–246.

Borges R.M, Somanathan H. & Kelber, A. 2016. Patterns and processes in nocturnal and crepuscular pollination services. *The quarterly review of biology* 91(4):389–418.

Borges, BPS; Lima APPS; Lima-Brito A; Santana JRF & Conceição AA. 2020. Fire as a novel technique to stimulate adventitious shoots in the laboratory. *Plant Cell, Tissue and Organ Culture* 143:709–713.

Branco A, Pinto A.C., Ifa D. R & Braz-Filho R 2002. Two 8C-methylated flavonols from the leaves of *Vellozia candida* Mikan. (Velloziaceae). *J Braz Chem Soc* 13:318–323.

Branco, A.; Braz-Filho, R; Kaiser, C. R. & Pinto, A. C. 1998. Two monoisoprenylated flavonoids from *Vellozia graminifolia*. *Phytochemistry* 47:471–474.

Branco, A.; Pinto, A. C.; Pereira, A. S.; Aquino Neto, F. R.; Cardoso, J. N.; Brazfilho, R. 2000. Further lipophilic flavonols in *Vellozia graminifolia* (Velloziaceae) by high temperature gas chromatography: quick spotting of new compounds *Phytochemical Analysis Inglaterra. Phytochemical Analysis*, Grã-Bretanha, v. 12, n. 4, p. 266–270.

Branco, Alexsandro; Pinto, Angelo C.; Braz Filho, Raimundo 2004. Chemical constituents from *Vellozia graminifolia* (Velloziaceae). *Anais da Academia Brasileira de Ciências* 76:505–518.

Braun, M. 2017. Rehydration from Desiccation: Evaluating the Potential for Leaf Water Absorption in *X. elegans*. Honors Thesis. 143 pp. Loyola Marymount University, mbraun3@lion.lmu.edu.

Brazilian Flora Database. 2022. *Velloziaceae in Flora e Funga do Brasil*. Jardim Botânico do Rio de Janeiro. <https://floradobrasil.jbrj.gov.br/FB245>. Accessed on: 15 Oct. 2022.

Brazil Flora Group. 2015. Growing knowledge: an overview of seed plant diversity in Brazil. *Rodriguesia* 66: 1085–1113.

Brooks RR (1998) Geobotany and hyperaccumulators. In: Brooks RR (ed) *Plants that hyperaccumulate heavy metals: their role in phytoremediation, microbiology, archaeology, mineral exploration and phytomining*. CAB International, Cambridge, 384 pp.

Burman, A. 1991. Saving Brazil's savannas. *New Scientist* 129: 30–34.

- Büdel B., Weber, B., Kühl, M., Pfanz, H., Sültemeyer, D. & Wessels, D. 2004. Reshaping of sandstone surfaces by cryptoendolithic cyanobacteria: bioalkalization causes chemical weathering in arid landscapes. *Geobiology* 2:261–268.
- Büdel, B., Becker, U., Porembski, S. & Barthlott, W. 1997. Cyanobacteria and Cyanobacterial Lichens from Inselbergs of the Ivory Coast, Africa. *Bot. Acta* 110:458–465.
- Byström K. 1960. *Dracaena draco* L. in the Cape Verde Islands. *Acta Horti Gotob.* 23:179–214.
- Callaway, R. M., Brooker, R. W., Choler, P., Kikvidze, Z., Lortie, C.J., Michalet, R., Paolini, L., Pugnaire, F.L., Newingham, B., Aschephoug, E.T., Armas, C., Kikodze, D. & Cook, B.J. 2002. Positive interactions among alpine plants increase with stress. *Nature* 417: 844–848.
- [Camargo et al. 2019](#). Microbiomes of Velloziaceae from phosphorus-impoverished soils of the *campos rupestres*, a biodiversity hotspot. *Nature Scientific Data* 6:140.
- Capella R.; Guida Y.; Loretto D; Weksler M & Meire RO. 2023. Occurrence of legacy organochlorine pesticides in small mammals from two mountainous National Parks in southeastern Brazil. *Emerging Contaminants* 9 ([2023, online first](#)).
- Carmo, F. F. & Jacobi C. M. 2013. A vegetação de canga no Quadrilátero Ferrífero, Minas Gerais: caracterização e contexto fitogeográfico. *Rodriguésia* 64(3): 527–541.
- [Cattai M.B. 2007](#). Anatomia em Velloziaceae: caracteres, evolução e filogenia. Dissertation, Universidade de São Paulo.
- Cattai, M. B.; Mello-Silva, R.; Angyalossy, V. 2006. Elementos traqueais caulinares de Velloziaceae: caracterização e uso em análises filogenéticas. In: IX Congresso Latinoamericano de Botânica, 2006, Santo Domingo. Libro de Resúmenes - IX Congresso Latinoamericano de Botânica, v. 1. p. 224–224.
- Chase MW, Duvall MR & Hills HG. 1995. Molecular phylogenetics of Lilianae. In: P. J. Rudall, P. J. Cribb, D. F. Cutler, C. J. Humphries, eds. *Monocotyledons: Systematics and Evolution*, London: Royal Botanic Gardens Kew.
- [Chen, S.C. 1981](#). Acanthochlamydoideae – a new subfamily of Amaryllidaceae. *Acta Phytotaxonomica Sinica* 19(3):323–329.
- Chen, Z.-D. et al. 2016. Tree of life for the genera of Chinese vascular plants. *J. Syst. Evol.* 54: 277–306.
- [Coetzee, H. 1974](#). Anatomy of the leaves of the Velloziaceae in South Africa and South West Africa and a key based on leaf anatomy. *Dinteria* 10:19–33.

[Coetze H., Van Der Schijff H.P. & Steyn E. 1973.](#) External morphology of the species of the South African Velloziaceae including a key based on external morphological characteristics. Dinteria 9:3–8.

[Conceição AA, Alencar TG, Souza JM, Moura ADC, Silva GA. 2013.](#) Massive post-fire flowering events in a tropical mountain region of Brazil: high episodic supply of floral resources. Acta Bot Bras 27:847–850.

Conceição, A.A., Giulietti, A.M. & Meielles, S.T. 2007. Ilhas de vegetação em afloramentos de quartzito-arenito no Morro do Pai Inácio, Chapada Diamantina, Bahia, Brasil. Acta bot. bras. 21(2): 335-347.

[Conceição AA, Orr BJ. 2012.](#) Post-fire flowering and fruiting in *Vellozia sincorana*, a caulescent rosette plant endemic to Northeast Brazil. Acta Bot Bras 26:94–100.

Conceição A.A. & Pirani J.R. 2005. Delimitação de habitats em campos rupestres na Chapada Diamantina: substratos, composição florística e aspectos estruturais. Bol. Bot. Univ. São Paulo 23: 85–111.

[Conceição AA, Souza JM, Carneiro JS, Menezes NL. 2017.](#) Old for people, new for science: a previously undescribed species of harvested *Vellozia* (Velloziaceae) endemic to the Chapada Diamantina National Park, Bahia (Brazil). Phytotaxa 329:253–261.

[Conceição AA. 2018.](#) A hot case of conservation: Candombá (*Vellozia pyrantha*), a flammable plant endemic to a National Park is used to make a fire and threatened by fire suppression policy. J Nat Conserv 45:118–121.

[Crouch, N.R. & Condy, G. 2009.](#) *Xerophyta longicaulis*. p. 42 in: G. Germishuizen (ed.): Flowering plants of Africa, vol. 61. National Biodiversity Institute, Pretoria.

[Curtis, W. 1904.](#) Botanical Magazine 130: *Xerophyta equisetoides*. Bot. Mag.

Dantas, A. L. A.; Valente, L. M. M.; Morais, L. A. S.; Feliciano, G. D.; & Bernardo Filho, M. 2005. In Vitro Study of *Vellozia pusilla* Pohl (Velloziaceae), a Brazilian Plant Species: Antitumoral Activity and Labeling of Blood Elements. Brazilian Archives of Biology and Technology 48(special):57–61.

Dantas, A. L. A.; Valente, L. M. M.; Pinto, A. C.; Feliciano, G. D.; Gomes, M. L.; Oliveira, M. B.; Bernardo Filho, M. 2004. Study of the influence of the bioactive extract of *Vellozia pusilla* Pohl on the 99m Tc biodistribution in mice. Revista Brasileira de Engenharia Biomédica, v. 20, p. 41-44.

Dantas, Ana Letícia A.; Valente, Ligia Maria M.; Pinto, Angelo C. 2003. A new isopimarane diterpenoid from *Vellozia pusilla* Pohl (Velloziaceae). Journal of the Brazilian Chemical Society, Brasil, v. 14, n. 1, p. 126-128.

De Witte L.C. and Stöcklin J. 2010. Longevity of clonal plants: why it matters and how to measure it. Ann. Bot. 106: 859-870.

Dojani, S., Lakatos, M., Rascher, U., & Büdel, B. 2001. Biological crusts influence the nitrogen composition of adjacent soils. In: G. Zotz & Ch. Körner, (eds.): The functional importance of biodiversity. Berlin: Parey; 2001; p. 343. (Proceedings of the ecological society of Germany, Austria and Liechtenstein; v. 31).

Dojani, S., Lakatos, M., Rascher, U., Wanek, W., Lüttge, U. & Büdel, B. 2007. Nitrogen input by cyanobacterial biofilms of an inselberg into a tropical rainforest in French Guianas. Flora 202: 521–529.

Dufay, C.F. 1852, Dictionnaire Biographique des Personages Notables.

Dyer RA. 1942. *Vellozia retinervis*. Fl PI Africa. 22:856.

Endlicher S. 1841. *Enchiridion Botanicum*. Leipzig & Vienna: Engelmann.

Fardin, K. M. 2019. Aspectos ecofisiológicos, estruturais e dos metabólitos envolvidos nos mecanismos de tolerância à dessecação em *Barbacenia* (Velloziaceae). Thesis. Universidade Federal do ABC. In Portuguese.

Farrant, J.M. 2015. A molecular physiological review of vegetative desiccation tolerance in the resurrection plant *Xerophyta viscosa* (Baker). Planta. Issue and pages unnumbered.

Ferreira, M.C. 2017. *Vellozia gigantea* (Velloziaceae) e seus fungos endofíticos: diversidade e bioprospecção de substâncias bioativas. Thesis. Universidade Federal de Minas Gerais.

Flora do Brasil 2020. Jardim Botânico do Rio de Janeiro.

Forero, D. 2010. Taxonomical and biological notes on Neotropical Apiomerini (Hemiptera: Heteroptera: Reduviidae: Harpactorinae). Zootaxa 2331:57–68.

Franceschinelli E.V. et al. 2006. The Genetic Diversity of Two Brazilian *Vellozia* (Velloziaceae) with Different Patterns of Spatial Distribution and Pollination Biology. Annals of Botany 97(4):585–92.

Furness, C.A. & Rudall, P.J. 2006. Comparative Structure and Development of Pollen and Tapetum in Pandanales. *International Journal of Plant Sciences*, Vol. 167, No. 2 (March 2006), pp. 331-348.

Gaff, D. F. 1977. Desiccation tolerant vascular plants of southern Africa. Oecologia 31:95–109. Available for 39.95 Euros at: <https://doi.org/10.1007/BF00348713>.

Garcia QS et al. 2017. Long-term persistence of Velloziaceae species in the soil seed bank in campo rupestre vegetation, Brazil. Plant Ecology & Diversity 10(4):323–328.

[Garcia QS et al. 2020](#). Environmental factors driving seed dormancy and germination in tropical ecosystems: A perspective from campo rupestre species. *Environmental and Experimental Botany* 178: (online first, not paginated).

Gilbert, B. 1977. Natural products derivatives in tropical insect and parasite control. *Pontificiae Academiae Scientiarum Scripta Varia* 41: 225.

Giulietti A. M. & Pirani J. R. 1988. Patterns of geographic distribution of some plant species from the Espinhaco Range, Minas Gerais and Bahia Brazil.- in: *Proceedings of a Workshop on Neotropical Distribution Patterns.*- Acad. Brasil. Ciencias, Rio de Janeiro.

[Goodman, E.A. 2021](#). Sleeping Beauty of the Plant World? *Xerophyta elegans*: A rare flowering perennial resurrection plant. 25 pp. Free, online.

Gottsberger G & Silberbauer-Gottsberger I. 2006a. Life in the Cerrado – A South American Tropical Seasonal Ecosystem. Vol. I. Abteilung Systematische Botanik und Ökologie und Botanischer Garten, Universität Ulm, Germany. ISBN 3-00-017928-3.

Gottsberger G & Silberbauer-Gottsberger I. 2006b. Life in the Cerrado – A South American Tropical Seasonal Ecosystem. Vol. II. Abteilung Systematische Botanik und Ökologie und Botanischer Garten, Universität Ulm, Germany. ISBN 3-00-017929-1.

[Hallam, N. D. & Gaff, D. F. 1978](#). Regeneration of chloroplast structure in *Talbotia elegans*: a desiccation-tolerant plant. *New Phytologist* 81:657–662.

[Harborne JB, Williams CA, Greenham J and Eagles J. 1994](#). Variations in the lipophilic and vacuolar flavonoids of the genus *Vellozia*: Phytochemistry Volume 35, Issue 6, 19 April 1994, Pages 1475–1480.

Harley, R.M., 1995. Introduction. In Stannard, B.L., Harvey, Y.B. and Harley, R.M. (Eds.). *Flora of the Pico das Almas, Chapada Diamantina – Bahia, Brazil*. London: Royal Botanic Gardens, Kew.

Hedberg, O. 1964. Features of Afroalpine Plant Ecology. *Acta. Phytogeographica Suecica*: 49. 144 p.

[Hofmann, G. S., Cardoso, M. F., Alves, R. J. V., Weber, E. J., Barbosa, A. A., de Toledo, P. M., Pontual, F. B., Salles, L. D. O., Hasenack, H., Cordeiro, J. L. P.; Aquino, F. E., & de Oliveira, L. F. B. 2021.](#) The Brazilian Cerrado is becoming hotter and drier. *Global Change Biology*, 27(17):4060–4073.

Hooker, W. J. 1827. *Barbacenia purpurea*. Purple-flowered Barbacenia. – *Bot. Mag.* 54: t. 2777.

[Hoskovec, L. 2018](#). *Talbotia elegans* Balf.

Hu X.L; Kao PC, Na HY. 2008. In vitro seed germination of *Acanthochlamys bracteata* (Acanthochlamydaceae). Chinese Journal of Applied and Environmental Biology, Vol. 14, 450–453, (In Chinese with English summary).

Humboldt F. H. A. von 1814. Relation historique du voyage aux régions équinoctiales du Nouveau Continent, vol 1. Nachdruck, Paris.

Ibisch PL, Nowicki C, Vásquez R, Koch K. 2001. Taxonomy and biology of Andean Velloziaceae: *Vellozia andina* sp. nov. and notes on *Barbaceniopsis* (including *Barbaceniopsis castillonii* comb. nov.). Systematic Botany 26:5–16.

IEPHA MG 2022. <http://iepha.mg.gov.br/index.php/programas-e-acoes/patrimonio-cultural-protegido/bens-tombados/details/1/81/bens-tombados-pico-do-itamb%C3%A9>.

International Plant Names Index – IPNI. 2023. Published on the Internet <http://www.ipni.org>, The Royal Botanic Gardens, Kew, Harvard University Herbaria & Libraries and Australian National Herbarium. [Retrieved 02 March 2023].

Inthachub, P., Vajrodaya, S. & Duyfjes, B. E. E. 2010. Census of *Stemona* (Stemonaceae) in Thailand. *Blumea*, 55, 143–152.

Jacobi C. M. & del Sarto, M. C. L. 2007. Pollination of two species of *Vellozia* (Velloziaceae) from high-altitude quartzitic grasslands, Brazil. *Acta botanica brasiliaca* 21(2):325–333.

Jacobi, C. M. & Carmo, F. F. (orgs.). 2012. Diversidade florística nas Cangas do Quadrilátero Ferrífero. Ed. IDM, Belo Horizonte. 240p.

Jacobi, C. M. ; Carmo, F. F. ; Vincent, R. C. ; Stehmann, J. R. 2007. Plant communities on ironstone outcrops: a diverse and endangered Brazilian ecosystem. *Biodiversity and Conservation*, v. 16, p. 2185–2200.

Janssen T, Bremer K. 2004. The age of major monocot groups inferred from 800+ rbcL sequences. *Botanical Journal of the Linnean Society* 146: 385–398.

Jeník J. 1978. Roots and root systems in tropical trees: morphologic and ecologic aspects. In: P. B. Tomlinson & M. H. Zimmermann (eds.) Tropical trees as living systems. Proceedings of the 4th Cabot Symposium, Petersham, pp. 323–349.

Jussieu, A. L. de, 1789. Genera plantarum: secundum ordines naturales disposita, juxta methodum in Horto regio parisiensi exaratam, anno M.DCC.LXXIV.

Kao P.C; Tang Y; Guo W. 1993. A cytological study of *Acanthochlamys bracteata* (Acanthochlamydaceae). *Acta Phytotaxonomica Sinica* Vol. 31, 42–44, 1993. (In Chinese with English summary).

- Kao PC. & Li P. 1993. Studies on the morphology and embryology of *Acanthochlamys bracteata* I – Morphological and anatomic studies on vegetative organs. *J. Sichuan Univ. Nat. Sci. Ed.* (四川大学学报自然科学报), 30(4):534–537.
- Kao PC. 1987. The sociological characteristics and pollen morphology of *Acanthochlamys bracteata*, *Acta Botanica Yunnanica*, Vol. 9, 401–405, (In Chinese with English summary).
- Kao PC. 1989. Acanthochlamydaceae: a new monocotyledonous family. In: P. C. Kao, Z. M. Tan, eds. *Sichuanica Flora*, Sichuan National Publishing House, Chengdu, (In Chinese and English).
- Kao PC. 1998. Confirmation of Acanthochlamydaceae, a new proposed monocotyledons family and its systematic position. *Acta Botanica Yunnanica* 20(1):23–31. (In Chinese with English summary).
- Kao, P.C. 2017. Systematic Study of Acanthochlamydaceae - A New Endemic Family of China. *Universal Journal of Agricultural Research* 5(2):85–97.
- Kao, PC & Kubitzki K. 1998. Acanthochlamydaceae. In: Kubitzki, K. (ed.): *The families and genera of flowering plants* 3:55–58.
- Kolbek, J. & Alves, R. J. V. 2008. Impacts of cattle, fire and wind in rocky savannas, Southeastern Brazil. *Acta Universitatis Carolinae Environmentalica* 22:111–130.
- Körner, Ch. 2003. Limitation and stress – always or never ? *Journal of Vegetation Science* 14: 141-143.
- Kubitzki K. 1998. Velloziaceae, pp. 459–467. In: Kubitzki K. (ed.), *The families and genera of flowering plants*. Vol. 3: Flowering Plants, Lilianae (except Orchidaceae), Berlin, Springer. 481pp.
- Lamarck, M. 1791. *Xerophyta pinifolia* in: Lamarck M. 1791. *Illustrations des genres, ou expositions des caractères de tous les genres de plantes établis par les botanistes (Encyclopédie méthodique)*, vol. I. Paris: Panckoucke.
- Lamont, B. B. & Downes, S. 1979. The longevity, flowering and fire history of the grasstrees *Xanthorrhoea preissii* and *Kingia australis*. *Journal of Applied Ecology* 16: 893–899.
- Lamont, B. B. 1980. Tissue longevity of the arborescent monocotyledon *Kingia australis* (Xanthorrhoeaceae). *American J. Bot.* 67(8): 1262–1264.
- [Landau, E.C., Alvim, S., Fagundes, M. & Fernandes, G.W. 1997.](#) Richness and abundance of herbivores on *Vellozia nivea* (Velloziaceae) flowers. *Acta Botanica Brasilica* 12(3):403–409.

- Larocca *et al.* 2022. Recent divergence in functional traits affects rates of speciation in the Neotropical Velloziaceae (Pandanales). *Botanical Journal of the Linnean Society* 199:144–172.
- Larson DW; Matthes U & Kelly PE. 2005. Cliff Ecology: Pattern and Process in Cliff Ecosystems. Cambridge Studies in Ecology. Cambridge University Press, 360 pp. ISBN 0521019214, 9780521019217.
- Li P & Kao PC. 1993. Studies on the morphology and embryology of *Acanthochlamys bracteata* III – The investigation on double fertilization, embryogenesis and endosperm development of *Acanthochlamys bracteata*. *J. Sichuan Univ. Nat. Sci. Ed.* 30(2):260–263.
- Li P, Kao PC & Chen F. 1992. Studies on the morphology and embryology of *Acanthochlamys bracteata* II – The anther and ovule development. *Bot. Res.* 12(4):389–395.
- Li P; Kao PC; 1993. Studies on morphology of *Acanthochlamys bracteata*. III: The investigation on double fertilization, embryogenesis and endosperm development of *Acanthochlamys bracteata*. *Journal of Sichuan University (Science ed.)*, Vol.30, No.4. 260–263, 1993. (In Chinese with English summary).
- Li P; Kao PC; Chen F; H. Luo X. 1992. Studies on morphology and embryology of *Acanthochlamys bracteata*. II: The anther and ovule development. *Bulletin of Botanical Research*, Vol.12, 389–95, (In Chinese with English summary).
- Li, B-J; KAO, P.C.; PENG, S-L; LIAO, X. & DING, L-S. 2005. Chemical Constituents of *Acanthochlamys bracteata*. *Chinese Journal of Chemistry* 23:933–936.
- Luz PM. 2014. Biologia reprodutiva e genética de populações de *Barbacenia paranaensis* L.B.Sm (Velloziaceae), espécie endêmica e ameaçada de extinção no Paraná. MSc dissertation. Universidade Federal do Paraná.
- Maguire, B. 1957. *Barbacenia uaipanensis*. *Mem. New York Bot. Gard.* 9:477, fig. 117.
- Martins LC & Paiva, EAS. 2016. Flammable resin in *Vellozia variabilis* (Velloziaceae): Gland structure and chemical composition. *Flora* 19:94–100.
- Martius, C. P. P. 1824. Travels in Brazil in the years 1817–1820. Vol. 2. English translation – Longman etc., London.
- Martius, C.F.P. de & Zuccarini, J.G. 1823–1826. Nova genera et species plantarum quas in itinere per Brasiliam annis MDCCCVII–MDCCCXX jussu et auspiciis Maximiliani Josephi I. Bavariae regis augustissimi suscepto collegit et descriptis Dr. C. F. P. de Martius ..., vol. 1. Pp. 1–158, tt. 1–100. Typis Lindaueri, Monachii [Munich].

Mello-Silva, R. & Menezes, N. L. 1999a. Two New Brazilian Velloziaceae, *Vellozia auriculata* and *Vellozia gigantea*, and a Key to the Related Dracenoid Species of *Vellozia*. Novon, 9(4):536–541.

Mello-Silva, R. 1991. A new species of *Vellozia* from the Espinhaço Range, Brazil, with some consideration on the section Xerophytoides. Kew Bull. 46:321–326.

Mello-Silva, R. 1999b. The Velloziaceae according to Lyman Smith. Harvard Papers in Botany 4(1):267–270.

Mello-Silva, R. et al. 2011. Five vicarious genera from Gondwana: the Velloziaceae as shown by molecules and morphology. Annals of Botany 108:87–102.

Menezes NL. 1971. New taxa and new combinations in Velloziaceae. Ciência e Cultura 23: 421–422.

Menezes NL. 1973. Natureza dos apêndices petalóides em Barbacenioideae (Velloziaceae). Bol. Zool. e Biol. Mar. N.S. 30:713–755.

Menezes NL. 1980. Evolution in Velloziaceae with special reference to androecium characteres.. Horticultural and Botanical Research, London, v. 1, p. 117–139.

Menezes NL. 1984. Características anatômicas e a filogenia na família Velloziaceae. Tese de Livre- Docência. Universidade de São Paulo.

Menezes NL. 1988a. Evolution of the anther in the family Velloziaceae. Boletim de Botânica de Universidade de São Paulo 10: 33–41.

Menezes N. L. 1988b. Formacao de raiz adventicia em Velloziaceae.- in: Resumos XXXIX Congr. Nac. Bot. 1:162 Belém.

Menezes N. L. 1988c. Formacao de Raizes adventicias em especies de *Syngonanthus* (Eriocaulaceae).- Resumos XXXIX Congr. Nac. Bot. 1:163. Belem.

Menezes NL, Semir L. 1990. New Considerations Regarding The Corona Velloziaceae. Annals of Missouri Botanical Garden, v. 77, n.6, p. 539–544.

Menezes NL & Castro NM. 2000. Células piramidais apicais dos tegumentos do óvulo em Velloziaceae e suas relações filogenéticas. Boletim do Museu de Biologia Melo Leitão, Espírito Santo 11:49–56.

Menezes, N.L.; Bauchum, G.; Costa, G.R. ; da Silva, Cristiane G. 2013. The extraordinary *Acanthochlamys bracteata*. In: Monocots V - 5th International Conference on Comparative Biology of Monocotyledons, 2013, New York. Anais do Monocots V - 5th International Conference on Comparative Biology of Monocotyledons: 185–185.

Menini Neto, L; Forzza, R C; van den Berg, C. 2013. Taxonomic revision of *Pseudodelaelia* Porto & Brade (Laeliinae, Orchidaceae). *Acta Botanica Brasilica* 27(2):418–435.

[Mergelov N. et al. 2018](#). *Nature Scientific Reports* 8:3367.

[Messias, M. C. T. B.; Menegatto, M. F.; Prado, A. C. C.; Santos, B. R.; Guimarães, M. F. M.; Rev. Bras. Plant. Med. 2015](#). Uso popular de plantas medicinais e perfil socioeconômico dos usuários: Um estudo em área urbana em Ouro Preto, MG, Brasil. *Revista Brasileira de Plantas Medicinais* 17(1):76–104.

[Montserrat, L. & Mello-Silva, R. 2013](#). Velloziaceae do Parque Estadual de Ibitipoca, Minas Gerais, Brazil. *Boletim de Botânica da Universidade de São Paulo* 31: 131–139.

Moore, T. & Ayres, W. 1850. *Rogiera amoena; Barbacenia Rogierii*. – *Gard. Mag. Bot.* 2:85, 209, pl.

[Moore, T., Ayres, W.P. 1851](#). *Gardeners' Magazine of Botany, Horticulture, Floriculture, and Natural Science. Gard. Mag. Bot.* (1850–1851).

[Moraes, P. L. R. 2018](#). Notes on the identities of the new genera and species published by Domenico (Domingos) Vandelli in the *Florae Lusitanicae et Brasiliensis* specimen. *Feddes Repert.* 130: 19–64. 201800009.

Morawetz, W, 1983. Dispersal and succession in an extreme tropical habitat: (Coastal sands and xeric woodland in Bahia (Brazil). *Sonderbd. Naturwiss.Ver. Hamburg* 7: 359–380.

Naidoo, G., Kaliamoorthy, S., Naidoo, Y., 2009. The secretory apparatus of *Xerophyta viscosa* (Velloziaceae): epidermis anatomy and chemical composition of the secretory product. *Flora* 204, 561–568.

Neves, S.P.S., 2009. Fenologia reprodutiva, biologia floral e polinização de espécies de Velloziaceae em uma área de campo rupestre na Chapada Diamantina, Bahia, Brasil. Dissertation. Universidade Estadual de Feira de Santana, Bahia. 94p.

[NOAA Solar Position Calculator 2019](#). (Constantly updated).

[Tuivalagi N., Mueller-Dombois D., Bridges K. W. & Steele O.C. 2000. Processing Relevé Data by Multivariate Analysis](#): The Synthesis Table, Dendrogram, and Ordination Techniques. Pp. 237–255 [Biodiversity assessment of tropical island ecosystems. PABITRA manual for interactive ecology and management.](#)

Noher RI, Coccuci AE. 1971. Sobre la naturaleza de los “apéndices petaloides” en *Barbacenia purpurea* (Velloziaceae). *Kurtziana* 6:265–269.

[Oliveira RCS, Schmidt I, Albuquerque U, Conceição AA. 2015a](#). Ethnobotany and harvesting impacts on candombá (*Vellozia* aff. *sincorana*), a multiple use shrub species endemic to Northeast Brazil. *Econ Bot* 69:318–329.

- Oliveira RS, Abrahão A, Pereira C, et al. 2016. Ecophysiology of campos rupestres plants. In: Fernandes GW, ed. Ecology and conservation of mountaintop grasslands in Brazil. Basel: Springer International Publishing, 227–272.
- Oliveira RS, Galvão HC, De Campos MCR, Eller CB, Pearse SJ, Lambers H. 2015b. Mineral nutrition of campos rupestres plant species on contrasting nutrient-impoverished soil types. *New Phytologist* 205: 1183–1194.
- Oliveira, P.E. de, Gibbs, P. E. & Bianchi, M. 1991. Pollination and breeding system of *Vellozia squamata* (Liliales: Velloziaceae): a species of the Brazilian cerrados. *Bot. Acta* 104:392–398.
- Pérez-Harguindeguy, N., Díaz, S., Garnier, et al. 2013. New handbook for standardised measurement of plant functional traits worldwide. *Australian Journal of Botany*, 61(3):167–234.
- Pinchin, R.; Mayer L M U & Pinto, Angelo C. 1978. Veadeirol and veadeiroic acid, two novel diterpenes from *Vellozia flavicans*. *Phytochemistry*, v. 17, p. 1671-1672.
- Pinheiro et al. 2020. Virtual Screening of Secondary Metabolites of the Family Velloziaceae J. Agardh. *J. Braz. Chem. Soc.* 31(10): 2114–2119.
- Pinto & Lima-Brito, 2023. Micropropagation of *Vellozia seubertiana* (Velloziaceae). Revista Caatinga 36(2):271–279.
- Pinto, A. C. & Borges, C. 1983. Six diterpenes from *Vellozia compacta*. *Phytochemistry* 22(9):2011–2015.
- Pinto, A. C. 1980. Um novo diterpeno de *Vellozia compacta*. *Anais da Academia Brasileira de Ciências* 52:473–475.
- Pinto, A. C.; Antunes, O. A. C.; Rezende, C. M.; Correia, C. R. D. 1995. Minor cleisthantane and tetrnorfriedolabdane from *Vellozia flavicans*. *Phytochemistry*, v. 38:1269–127.
- Pinto, A. C.; Gonzaga, L. & Zocher, D. H. T. 1981. Triterpenes from *Vellozia glabra* and *Barbacenia conicostigma*. *An. Acad. brasil. Ci.* 53(1):69–72.
- Pio Correa, M. 1926. Dicionário das plantas uteis do Brasil e das exóticas cultivadas. Vols. 1-6. Brazil. Ministério da Agricultura. [Vols. 1, 2 and 4 mention Velloziaceae; [available online here](#)].
- Porembski S. & Barthlott W. 1995. On the occurrence of a velamen radicum in Cyperaceae and Velloziaceae. *Nordic Journal of Botany* 15(6):625–629.
- Porembski S. & Barthlott W. 2000. Granitic and gneissic outcrops (inselbergs) as centers of diversity for desiccation-tolerant vascular plants. *Plant Ecology* 151:19–28.

Porembski, S. & Barthlott, W. 1997. Inselberg vegetation and the biodiversity of granite outcrops. *Journal of the Royal Society of Western Australia* 80:193-199.

Porembski, S.; Fernando Silveira, A. O.; Fiedler, P. L.; Watve, A.; Kouame, F. & Hopper, S. 2016.
Worldwide destruction of inselbergs and related rock outcrops threatens a unique ecosystem. – *Biodivers. Conserv.* 25(13): 2827–2830.

Porembski, S., Becker, U. & Seine, R. 2000. Islands on islands: habitats on inselbergs. In S. Porembski & W. Barthlott (eds.) *Inselbergs. Ecological Studies*, vol. 146. Springer-Verlag. Berlin.

Porembski, S., Martinelli, G., Ohlemüller, R. & Barthlott, W. 1998. Diversity and ecology of saxicolous vegetation mats on inselbergs in the Brazilian Atlantic rainforest. *Diversity & Distributions* 4 (3):107-119.

Porembski, S., Seine, R. & Barthlott, W. 1997. Inselberg vegetation and the biodiversity of granite outcrops. *Journal of the Royal Society of Western Australia* 80:193-199.

Ramenskij L. G. 1952. K metodike izuchenija rastitelnosti il naseljajemoi jeju sredy.- Bot. Zurnal, Moskva et Leningrad 37:202–211.

Rauh, W. 1988. Tropische Hochgebirgpflanzen Wuchs und Lebensformen (Sitzungberichte der Heidelberge Akademie der Wissenschaften). 206p., 251 il., Springer Verlag, Berlin.

Rawitscher F, Ferri MG & Rachid M. 1943. Profundidade dos solos e vegetação em campos cerrados do Brasil meridional. *Anais da Academia Brasileira de Ciencias* 18:261–280.

Ribeiro LC, Ribeiro KT, Madeira JÁ, De Fillipo DC. 2007. Floração em massa de *Vellozia gigantea* (Velloziaceae) após a ocorrência do fogo nos campo rupestres da Serra do Cipó, MG. Anais do VIII Congresso de ecologia do Brasil, Caxambu-MG.

Ribeiro, L. C.; Ribeiro, K. T.; Madeira, J. A.; Paiva, C. L. & Filippo, D. C. 2005. Riqueza e abundância de epífitas sobre canelas de ema gigantes (*Vellozia gigantea* NL Menezes e Mello-Silva) na Serra do Cipó (MG): três populações sob diferentes níveis de proteção. In: VII Congresso de Ecologia do Brasil, 2005, Caxambu. Anais do VII Congresso de Ecologia do Brasil.

Ribeiro, L. C.; Ribeiro, K. T.; Paiva, C. L. Filippo, Nascimento, J.S. & D. C. Madeira, J. A. 2016. Mapping, extinction risk assessment and importance for epiphyte community of *Vellozia gigantea* (Velloziaceae), an endemic giant dracenoid plant from Minas Gerais, Brazil. *Oecologia Australis* 20(2):160–176.

Riehl, C. A. S.; Pinto, A. C. 2000. A cleistanthane diterpene lactone from *Vellozia compacta*. *Phytochemistry*, Gra-Bretanha, v. 53, p. 917–919.

Riehl, C. A. S.; Pinto, A.C. & Figueroa-Villar J.D. 2006. Isolation and structural determination of xerophytolic acid A, a 3-geranyl-4-hydroxybenzoate derivative from *Xerophyta plicata*. *Nat. Prod. Res.* 20(13):1225–1230.

[Rivera, H. 2007.](#) Ordenamento territorial de áreas florestais utilizando avaliação multicritério apoiada por geoprocessamento, fitossociologia e análise multivariada. Dissertation. Universidade Federal do Paraná.

[Rodrigues, R. L. 2010.](#) Fungos endofíticos associados à *Vellozia compacta* Mart. ex Schult. F. (Velloziaceae) presente em afloramentos rochosos nos estados de Minas Gerais e Tocantins. Dissertation, Universidade Federal de Ouro Preto.

Rudall, P.J. & Bateman, R. M. 2004. Evolution of zygomorphy in monocot flowers: iterative patterns and developmental constraints (Tansley Review). *New Phytologist*, 162, 25–44.

Rudall, P.J. & Bateman, R. M. 2006. Morphological Phylogenetic Analysis of Pandanales: Testing Contrasting Hypotheses of Floral Evolution. *Systematic Botany*, 31(2), 223–238.

Rudall, P.J., Cunniff, J., Wilkin, P. & Caddick, L.R. 2005. Evolution of dimery, pentamery and the monocarpellary condition in the monocot family Stemonaceae (Pandanales). *Taxon*, 54, 701–711.

Sadala-Castilho, R. 2016. Biologia reprodutiva e anatomia das estruturas secretoras florais em espécies de Velloziaceae Endl. em uma área de campo rupestre. (Dissertation. Universidade Federal do Rio de Janeiro, Museu Nacional. Programa de Pós-graduação em Ciências Biológicas – Botânica Mestrado em Botânica. Laboratório de Biologia Reprodutiva de Angiospermas). In Portuguese. (PDF in my possession).

[Sadala-Castilho, R; Machado, S.R.; Sá-Haiad, B. & Lima, H.A. 2016.](#) Oil-resin glands in Velloziaceae flowers: structure, ontogenesis and secretion. *Plant Systematics and Evolution* 302: 585–599.

[Sajo MG, Mello-Silva R, Rudall PJ. 2010.](#) Homologies of floral structures in Velloziaceae with particular reference to the corona. *Int. J. Plant Sci.* 171 (6): 595-606.

[SANBI \(South African National Biodiversity Institute\) 2022.](#) *Xerophyta retinervis*.

Santiago IF. 2008. Bioprospecção de fungos endofíticos associados à *Vellozia graninea* Pohl. presente em afloramentos rochosos da Cadeia do Espinhaço, Minas Gerais. Monograph, Universidade Federal de Ouro Preto.

Sazima, M. & Sazima, I. 1990. Hummingbird pollination in two species of *Vellozia* (Liliiflorae: Velloziaceae) in southeastern Brazil. *Acta Botanica*, 103:83–86.

Sazima M (1972) Observações sobre polinização em Velloziaceae. Suplemento de Ciência e Cultura 24:335.

[Sazima M. 1977.](#) Hummingbird pollination of *Barbacenia flava* (Velloziaceae) in the Serra do Cipó, Minas Gerais, Brazil. *Flora* 166: 239–247.

Sazima M. 1978. Biologia floral de espécies de Velloziaceae na Serra do Cipó, Minas Gerais. Tese de doutorado. Universidade de São Paulo. Accessed 15 June 2023.

Scarano, F. 2002. Structure, Function and Floristic Relationships of Plant Communities in Stressful Habitats Marginal to the Brazilian Atlantic Rainforest. *Annals of Botany* 90:517–524.

Scheiffer TG. Klein, D. E.; Machado, A. S.; Lima, H. A. 2013. Sistema reprodutivo e biologia floral de *Barbacenia purpurea* Hook. (Velloziaceae) em “inselbergs” do Monumento do Pão de Açúcar, Rio de Janeiro. Monograph. Universidade Federal do Estado do Rio de Janeiro (UNIRIO).

Schmitt, J. L. & Windisch, P. G. 2007. Estrutura populacional e desenvolvimento da fase esporofítica de *Cyathea delgadii* Sternb. (Cyatheaceae, Monilophyta) no sul do Brasil. *Acta bot. bras.* 21(3):731–740.

Schmitt, J. L., Schneider, P. H. & Windisch, P. G. 2009. Crescimento do cáudice e fenologia de *Dicksonia sellowiana* Hook. (Dicksoniaceae) no sul do Brasil. *Acta bot. bras.* 23(1): 282–291.

Silva, C. G.; Carvalho, C. D. F.; Hamerski, L. Castro, F. A. V.; Alves, R. J. V.; Kaiser, C. R.; Eleutherio, E. C. A. & Rezende, C. M. 2011. Protective effects of flavonoids and extract from *Vellozia kolbekii* Alves against oxidative stress induced by hydrogen peroxide in yeast. *J. Nat. Med.* 66(2):367–72.

Silva, G. C.; Valente, L. M. M.; Patitucci, M. L.; Pinto, A. C.; Menezes, N. L. 2001. Diterpenóides com esqueleto cleistantano de *Vellozia* aff. *carunculares martius ex seubert* (Velloziaceae). *Química Nova* 24:619–625.

Silveira FN, Negreiros D, Barbosa NP, Buisson E, Carmo FF, Carstensen DW & Lambers H. 2015. Ecology and evolution of plant diversity in the endangered campo rupestre: a neglected conservation priority. *Plant and Soil*, 1–24.

Silveira, F. A. O., Negreiros, D., Barbosa, N. P. U., Buisson, E., Carmo, F. F., Carstensen, D. W., et al. 2016. Ecology and evolution of plant diversity in the endangered campo rupestre: a neglected conservation priority. *Plant Soil* 403, 129–152.

Smith, A. P. 1980. The paradox of plant height in an Andean giant rosette species. *Journal of Ecology* 68:63–73.

Smith, L. B. 1962. Synopsis of American Velloziaceae. Contributions from the United States National Herbarium 35(4):287–288, pl. 11, f. 49–51.

Smith, L.B. & Ayensu, E.S. 1976. A revision of American Velloziaceae. Smithsonian Contributions to Botany 30: 1–172.

Smith, L.B. 1964. Synopsis of American Velloziaceae – Supplement III. *Phytologia* 9:262–264.

Soares da Mota LAS & Garcia QS. 2013. Germination patterns and ecological characteristics of *Vellozia* seeds from high-altitude sites in south-eastern Brazil. *Seed Sci. Res.* 23:67–74.

Sousa, V. L. de, Menezes, M. et Alves, R. J. V. 2006. Endolithic Cyanobacteria: extremophiles in quartzite outcrops. Abstract 23. Proceedings of the First Brazilian Wokshop on Astrobiology.

Sousa, V. L. M. de, Menezes, M., Souza, C. A. De, Sant'Anna, C. L., Alves, R. J. V. 2006. Biodiversidade de cianobactérias cocóides epilíticas e endolíticas em afloramentos rochosos da Serra de São José, MG. In: XI Congresso Brasileiro de Ficologia/Simpósio Latino Americano sobre Algas Nocivas, 2006, Itajaí. Anais do XI Congresso Brasileiro de Ficologia/Simpósio Latino Americano sobre Algas Nocivas. Itajaí: UNIVALI, 2006. v. 1. p. 146-146. March, 20-21, 2006 - Rio de Janeiro, RJ, Brazil.

Sousa-Baena MS & Menezes NL. 2014. Seed coat development in Velloziaceae: primary homology assessment and insights on seed coat evolution. *American Journal of Botany* 101(9):1409–1422.

Sousa-Baena MS & Menezes NL. 2019. Comparative developmental anatomy of ovary and fruit in Brazilian Velloziaceae. *Botanical Journal of the Linnean Society*, 20:1–25.

Souza, C.D., Felfili, J.M., The utilization of medicinal plants in the region of Alto Paraíso of Goiás, GO, Brazil (2006) *Acta Bot Bras*, 20, pp. 133-142.

Souza, Cynthia Domingues de; Felfili, Jeanine Maria. 2006. Uso de plantas medicinais na região de Alto Paraíso de Goiás, GO, Brasil. Scientific Electronic Library Online, Goiânia, v. 20, n. 1, p.135-142.

Spix J.B. & Martius, C.F.P. 1831. Der Pflanzenformen des tropischen America 39:VII (2-4) in: *Reise in Brasilien auf Befehl Sr. Majestät Maximilian Joseph I., Königs von Baiern, in den Jahren 1817 bis 1820 gemacht und beschrieben* [Travels in Brazil in the Years 1817–1820]. Munich: Lindauer, 1831.

Spix, J.B. & Martius, C.F.P. 1831. Reise in Brasilien auf Befehl Sr. Majestät Maximilian Joseph I., Königs von Baiern, in den Jahren 1817 bis 1820 gemacht und beschrieben [Travels in Brazil in the Years 1817–1820]. Munich: Lindauer.

Spix, J.B. 1823. Reise in Brasilien: auf Befehl Sr. Majestät Maximilian Joseph I., Königs von Baiern, in den Jahren 1817 bis 1820 gemacht und beschrieben.

Stannard, B.L., Harvey, Y.B. and Harley, R.M. (Eds.). Flora of the Pico das Almas, Chapada Diamantina – Bahia, Brazil. London: Royal Botanic Gardens, Kew.

Stevens, P. F. 2001 onwards. Angiosperm Phylogeny Website. Version 14, July 2017 [and more or less continuously updated since].

Teodoro GS, Lambers H, Nascimento DL, et al. 2019; Specialized roots of Velloziaceae weather quartzite rock while mobilizing phosphorus using carboxylates. *Funct. Ecol.* 33:762–773.
<https://doi.org/10.1111/13652435.13324>.

Teodoro, Grazielle Sales *et al.* 2021. Desiccation tolerance implies costs to productivity but allows survival under extreme drought conditions in Velloziaceae species in campos rupestres. *Environmental And Experimental Botany* 189:104556 (pagination inintelligible).

Tribuiani N. et al. 2014. *Vellozia flavicans* Mart. Ex Schult. Hydroalcoholic Extract Inhibits The Neuromuscular Blockade Induced By Bothrops Jararacussu Venom. *Bmc Complementary And Alternative Medicine* 14:48.

Trustees of the Natural History Museum, London. 2021.
<https://nhmimages.com/search/?searchQuery=Vandelli> (accessed 06 Dec. 2021).

Umoh, U.T. 2020. Chemotaxonomy: The Role of Phytochemicals in Chemotaxonomic Delineation of Taxa. *Asian Plant Research Journal* 5(1):43–52.

Valente, L. M. M.; Oliveira, M. R. P.; Kingston, D. G. I.; Patitucci, M. L.; Pinto, A. C. 1997. Bioactive rosane diterpenes from *Vellozia candida* Mikan (Velloziaceae). *Journal of Natural Products* 60:478–481.

Van Wyk BE, Van Oudtshoorn B, Gericke N. 1997. Medicinal plants of South Africa. Pretoria: Briza Publications.

Vandelli, D. 1788. *Florae Lusitanicae et Brasiliensis specimen et epistolae ab eruditis viris Carolo a Linné, Antonio de Haen ad Dominicum Vandelli scriptae.–Typographia Academico-Regia, Conimbricæ.*

Velloziaceae in Flora e Funga do Brasil. Jardim Botânico do Rio de Janeiro. Available at:
<https://floradobrasil.jbrj.gov.br/FB21378>. Accessed on: 19 Feb. 2023.

Verçoza, F.C. 2012. Polinização de *Vellozia candida* Mikan (Velloziaceae) nos Afloramentos Rochosos do Costão de Itacoatiara, Niterói, RJ: Um Caso de Melitofilia em Inselbergue do Brasil. *EntomoBrasilis* 5(1):29–32.

Vincent, R. C.; Meguro, M. 2008. Influence of soil properties on the abundance of plant species in ferruginous rocky soils vegetation, southeastern Brazil. *Revista Brasileira de Botânica* 31:377–388.

Wanga VO et al. 2021. Complete Chloroplast Genomes of *Acanthochlamys bracteata* (China) and *Xerophyta* (Africa) (Velloziaceae): Comparative Genomics and Phylogenomic Placement. *Front. Plant Sci.* 12:691833.

Wanga VO et al. 2023. Projected impacts of climate change on the habitat of *Xerophyta* species in Africa. *Plant Diversity* (Online, 10 pp.)

Warming, E. 1893. Note sur la biologie et l'anatomie de la feuille des Velloziacees. Oversight Kongelige danske Videnskabernes Selskabs Forhandlingar, 57–100.

Weber, H. 1954. Wurzelstudien an tropischen Pflanzen 1. Abh. Math.-Nat. Kl. Akad. Wiss. Lit. Mainz 6: 211-249.

Weber, H.E., Moravec, J. & Theurillat, J.-P. 2000. International Code of Phytosociological Nomenclature. 3rd Ed., Journal of Vegetation Science 11: 739–768.

Werneck, M. S. and Espírito-Santo, M. M. 2002. Species diversity and abundance of vascular epiphytes on *Vellozia piresiana* in Brazil. Biotropica 34: 5157.

WFO. 2022. Velloziaceae. (Accessed 14 Oct. 2022).

WFO. 2023. *Acanthochlamys* P.C.Kao. (Accessed 02 Apr. 2023).

Williams, CA.; Harborne, JB; Tomas-Barberan A., Francisco 1987. Biflavonoids in the primitive monocots *Isophysis tasmanica* and *Xerophyta plicata*". Phytochemistry. 26(9):2553.

Williams, CA; Harborne, JB; Greenham, J & Eagles, J; 1994. Differences in flavonoid patterns between genera within the Velloziaceae. Phytochemistry 36(4):931–940.

Windisch, P. G.; Nervo, M. H. & Seibert S. 2008. Crescimento perene em *Dicksonia sellowiana* Hook. (Monilophyta, Dicksoniaceae). Pesquisas, Botânica 59:287–298.

Wu ZY. 1988. Hengduan mountain flora and her significance. J. Jap. Bot. 63:297–311.

Zappi, D.C., Moro M.F., Meagher T.R. & Lughadha E.N. 2017. Plant Biodiversity Drivers in Brazilian Campos Rupestres: Insights from Phylogenetic Structure. Frontiers in Plant Science 8(2141):1–15.

Zirondi H.L., José H.P., Daibes L.F. & Fidelis A. 2019. Heat and smoke affect the germination of flammable resprouters: *Vellozia* species in the Cerrado. Folia Geobotanica 54:65–72.