

D. Elhottová a kol.: Živá půda 2. Půdní prokaryota – v jednoduchosti je síla
(Živa 2020, 2: 79–85)

Citovaná a další použitá literatura:

- BAR-ON, Y. M., PHILLIPS, R., MILO, R., 2018. The biomass distribution on Earth. *PNAS*, 115, 25, 6506–6511.
- BATES, S. T., BERG-LYONS, D., CAPORASO, J. G., WALTERS, W. A., KNIGHT, R., FIERER, N., 2011. Examining the global distribution of dominant archaeal populations in soils. *The ISME Journal*, 5, 908–917.
- BOMBERG, M., 2016. The elusive boreal forest Thaumarchaeota. *Agronomy*, 6, 36.
- BRADY, N. C., 1990. *The nature and properties of soils* (10. vydání). New York: MacMillan, 621 s.
- BRADY, N. C., WEIL, R. R., 2014. *The nature and properties of soils* (14. vydání). Harlow, Essex UK: Pearson Education, 1046 s.
- BURGGRAF, S., STETTER, K. O., ROUVIERE, P., WOESE, C. R., 1991. Methanopyrus kandleri: an archaeal methanogen unrelated to all other known methanogens. *Systematic and Applied Microbiology*, 14, 346–351.
- COYNE, M., 1999. *Soil microbiology – an exploratory approach*. Albany: Delmar Publishers, 462 s.
- COSTA, O. Y. A., RAAIJMAKERS, J. M., KURAMAE, E. E., 2018. Microbial Extracellular Polymeric Substances: Ecological Function and Impact on Soil Aggregation. *Frontiers in Microbiology*, 9, Article 1636.
- DELGADO-BAQUERIZO, M., OLIVERIO, A. M., BREWER, T. E., BENAVENT-GONZÁLEZ, A., ELDRIDGE, D. J., BARDGETT, R. D., MAESTRE, F. T., SINGH, B. K., FIERER, N., 2018. A global atlas of the dominant bacteria found in soil. *Science*, 359, 320–325.
- DUNGER, W., 1983. *Tiere im Boden. Die Neue Brehm Bücherei* 327. Wittenberg Lutherstadt: A. Ziemsen Verlag, 3. přepracované vydání, 280 s.
- ELHOTTOVÁ, D., KRIŠTŮFEK, V., FROUZ, J., NOVÁKOVÁ, A., CHROŇÁKOVÁ, A., 2006. Screening for microbial markers in Miocene sediment exposed during open-cast brown coal mining. *Antonie van Leeuwenhoek*, 89, 459–463.
- ELLIS, S., MELLOR, A., 1995. *Soils and environment*. London: Routledge, 364 s.
- FOX, G. E., DOSE, K., 1977. *Molecular evolution and the origin of Life*. New York a Basel: Marcel Dekker, Inc., 370 s.
- GUBRY-RANGIN, C., HAI, B., QUINCE, C., ENGEL, M., THOMSON, B. C., JAMES, P., SCHLÖTER, M., GRIFFITHS, R. I., PROSSER, J. I., NICOL, G. W., 2011. Niche specialization of terrestrial archaeal ammonia oxidizers. *Proceedings of the National Academy of Sciences*, 108, 21206–21211.

CHROŇÁKOVÁ, A., SCHLÖTER-HAI, B., RADL, V., ENDESFELDER, D., QUINCE, C., ELHOTTOVÁ, D., SCHLÖTER, M., 2015. Response of archaeal and bacterial soil communities to changes associated with outdoor cattle overwintering. *PLoS one*, 10(8).

CHROŇÁKOVÁ, A., BÁRTA, J., KAŠTOVSKÁ, E., URBANOVÁ, Z., PICEK, T., 2019. Spatial heterogeneity of belowground microbial communities linked to peatland microhabitats with different plant dominants. *FEMS Microbiology Ecology*, 95 (9), fiz130.

KEMNITZ, D., KOLB, S., CONRAD, R., 2007. High abundance of Crenarchaeota in a temperate acidic forest soil. *FEMS Microbiology Ecology*, 60, 442–448.

KLINK, F., SCHÜMANN, H., THOMSEN, A., 1983. Ribosome specificity of archaebacterial elongation factor 2. *FEBS Letters*, 155, 173–177.

KOGA, Y., MORII, H., 2005. Recent advances in structural research on ether lipids from archaea including comparative and physiological aspects. *Bioscience, Biotechnology and Biochemistry*, 69, 2019–2034.

LABELLE, P., SPAIN, A. V., 2001. *Soil ecology*. Dordrecht: Kluwer Academic Publishers, 654 s.

LÓPEZ-MONDÉJAR, R., VOŘÍŠKOVÁ, J., VĚTROVSKÝ, T., BALDRIAN, P., 2015. The bacterial community inhabiting temperate deciduous forests is vertically stratified and undergoes seasonal dynamics. *Soil Biology and Biochemistry*, 87, 43-50.

PÉREZ-VALERA, E., KYSELKOVÁ, M., AHMED, E., SLADECEK, F. X. J., GOBERNA, M., ELHOTTOVÁ, D., 2019. Native soil microorganisms hinder the soil enrichment with antibiotic resistance genes following manure applications. *Scientific Reports*, 9 (1), 1-10.

RADL, V., GATTINGER, A., CHROŇÁKOVÁ, A., NĚMCOVÁ, A., ČUHEL, J., ŠIMEK, M., SCHLÖTER, M., ELHOTTOVÁ, D., 2007. Outdoor cattle husbandry influences archaeal abundance, diversity and function in an European pasture soil. *The ISME Journal*, 1, 443–452.

Richards, 1987, cit Coyne, 1999

RILLIG, M. C., MULLER, L. A. H., LEHMANN, A., 2017. Soil aggregates as massively concurrent evolutionary incubators. *The ISME Journal*, 11, 1943–1948.

ŠIMEK, M. et al., 2019. *Živá půda: biologie, ekologie, využívání a degradace půdy*. Praha: Academia, 789 s.

SPANG, A., CACERES, E. F., ETTEMA, T. J. G., 2017. Genomic exploration of the diversity, ecology, and evolution of the archaeal domain of life. *Science*, 357, 1–10.

White a kol., 1992, cit. Ellis a Mellor, 1995

WOESE, C. R., FOX, G. E., 1977. Phylogenetic structure of the prokaryotic domain: the primary kingdoms. *Proceedings of the National Academy of Sciences*, 74, 5088–5090.

Theng a kol., 1989, cit. Wood, 1995

WOOD, M., 1995. *Environmental soil biology* (2. vydání). London: Blackie Academic and Professional, 150 s.

ZHALNINA, K., DE QUADROS, P. D., CAMARGO, F. A. O., TRIPLETT, E. W., 2012. Drivers of archaeal ammonia-oxidizing communities in soil. *Frontiers in Microbiology*, 3, Article 210.

ZILLIG, W., SCHNABEL, R., STETTER, K. O., 1985. Archaeabacteria and the origin of the eukaryotic cytoplasm. In: COOPER, M. a kol. (Eds). *Current Topics in Microbiology and Immunology*. Berlin, Heidelberg: Springer, s. 1–18.

ŽIFČÁKOVÁ, L., VĚTROVSKÝ, T., HOWE, A., BALDRIAN, P., 2016. Microbial activity in forest soil reflects the changes in ecosystem properties between summer and winter. *Environmental Microbiology*, 18 (1), 288-301.