

J. Frišhons a kol.: Zoologické preparáty pro výuku přírodovědy a biologie 3. Osteologické preparáty (Živa 2020, 3: LXXXIV–LXXXVI)

- Altmann, A. 1972. Přírodniny ve vyučování biologii a geologii. Praha. SPN.
- Altman, A. – Lišková, E. 1979. Praktikum ze zoologie. SPN.
- Anděra, M. – Horáček, I. 2005. Poznáváme naše savce. Sobotáles, Praha.
- Buchar, J. 1993. Práce ze zoologie. Karolinum. Praha.
- Burns, P.- Meadow, RH. 2013. The use of Trypsin to Prepare Skeletal Material for Comparative Collections with a Focus on Fish. Archeofauna. (22): 29-36.
- Enault, S. et al. 2016. A complete protocol for the preparation of chondrichthyan skeletal specimens.* Journal of Applied Ichthyology. 32 (3):409–415.
- Fletcher, A. et al. 2014. Regarding the Dead: Human Remains in the British Museum. s 63-64.
- Frič, A. 1851. Navedení ke zřízení sbírek živočišných. Časopis Národního Musea. (3):3-29.
- Galusek, J. 2015. Jak si snadno doma zrenovovat loveckou trofej nebo shozy, které poškodilo vnější prostředí. Myslivost (3): 61.
- Grulich, I. 1978. Osteologická preparace pomocí kadaverikolních brouků *Dermestes vulpinus* Fbr., (*Coleoptera, Insecta*). Lynx. (19): 87–98.
- Kolčava, J.- Fojtů, N.- Merlíček, J. 2005. Základy preparačních technik. NCONZO, Brno.
- Kulíšek, V.- Hrubý, S.- Gašpárik, P. 1995. Príprava a demonštrácia kraniologických preparátov rôznych druhov zvierat. Nitra.
- Kulíšek, V. - Hrubý, S. - Gašpárik, P. - Studová, D. 1995. Metodický postup při príprave anatomických preparátov a ich využitie při výučbe anatómie. Zborník z III. celoslovenského vedeckého seminára z fyziologie zvierat. Nitra. s 9-10.
- Lelláková, F. et al. 1992. Zoologická technika. Karolinum, Praha.
- Mlíkovský, J. 1998. Potravní ekologie našich dravců a sov. Metodika Českého svazu ochránců přírody č. 11. Vlašim: ZO ČSOP.
- Moore, S. 1993e. Bones - to degrease or not degrease? Conservation News. (52):40-41.
- Mourek, J. – Lišková, E. 2010. Biologické sbírky – Metody sběru, preparace a uchovávání, příručka k projektu Alma Mater Studiorum. – Pedagogická fakulta UK, Praha s. 52.
- Pecina, P.- Porkert J. 1974. Poznámky o chovu potemníka moučného (*Tenebrio molitor L.*) a jeho využití při preparaci kostér dalších savců. Lynx. (15): 79-83.

Pecina, P.- Porkert J. 1975. Chov švába *Nauphoela cinerea* a jeho použití pro preparaci středně velkých koster a lebek obratlovců. *Lynx.* (17): 76-78.

Pecina, P. - Porkert J. 1975. Zur Anwendung der Schabenart *Nauphoeta cinerea* zum Skelletierung. *Der Praparator* (21): 46-48.

Porkert, J. 1972. K použití benzylalkoholu při preparování jemných embryí po barvení kostí alizarinem. *Lynx.* (12):72-74.

Porkert, J.-Novák, J. 1982. K použití alkoholických roztoků halogenů při kostrování drobných obratlovců. *Lynx.* (21): 127-130.

Pospíšil, M. 1957. Konservování kosterního materiálu pomocí polymerizovaného vinylacetátu. *Archeologické rozhledy.* (9): 569-570.

Post, L. 2004. Pinniped Projects: Articulating Seal and Sea Lion Skeletons. *Bone building books*, vol. 1-10.

Prokeš, M. 2008. Preparace trofejí. *Myslivost.* 10(5): 74.

Rowley, B. 2013. Protocols for cleaning and articulating large mammal skeleton. *Symposium Student Journal of Science & Math.* 2 (1): 1-27.

Řezníček, J. 2013. Preparace obratlovců: příručka k projektu Věda do škol. Praha: Univerzita Karlova v Praze, Pedagogická fakulta.

Stohler, R. 1945. Preparation of shark chondrocrania for class use. *Science.* (102): 403–404.

Sýkora, J. 1996. Metodiky postupu při príprave anatomických preparátov. Disertačná práca. Polnohospodárska univerzita Nitra.

Štíplová, K. 2017. Čištění a konzervace osteologického materiálu. Bakalářská práce. Přírodovědecká fakulty Masarykovy univerzity, Brno.

Táborský, K. 1961. Metodika zoologických prací v muzeích: Studijní, metodický a informační materiál: Říjen 1961. Praha: Národní muzeum.

Táborský, K. 1972. Nový způsob osteologické preparace. *Přírodní vědy ve škole.* (29): 205-207.

Tlapák, V. 2010. Bělení lebky trofejové zvěře. *Myslivost.* 12(6): 37.

Weiss, F. 2011. Metodický postup při zhotovení kosterného preparátu jestřába lesného. Diplomová práca. Polnohospodárska univerzita v Nitre.

Zuber, P. Fotografie kosterního materiálu. <https://www.biolib.cz/cz/galleryuser/?uid=258>

Doporučená literatura

Anon. 1947. Mazerations Cells Tissues Organs. (4):36–53.

Anon. Queensland Museum. 1975. Notes on the Preparation of Small Mammal Skeletons Preparation Leaflet No 1.

Bachstein, E. 1941. Entfettung von Knochen. Fleischwirtsch. (21): 527.

Bartels, T. H. - W. Meyer. 1991. Eine schnelle und effektive mazeration methode von Wirbeltieren. Dtsch. Tierarztl. Wschr. (98): 407-409.

Bechtol, C.O. 1948. Differential, in toto, staining of bone, cartilage, and soft tissues. Stain Technology. (23):3-9.

Blubaker, J. M. – Angus, R. A. 1984. A procedure for staining fish with Alizarin without causing exfoliation of scales. Copeia. 989 –990.

Bürgi, J. 1967. Mazeration von unfixierten und fixierten Knochen. Der Präparator. (13):185–190.

Case, L. D. 1959. Preparing mummified specimens for cleaning by dermestid beetles. Journal of Mammalogy. (40):620.

Coy, J. 1987. The preparation of vertebrate skeletons. Journal of the Institute of Anatomical Sciences. (2): 12.

Cumley, R. W. – Crow, J. F. & Griffen, A. B. 1939. Clearing specimens for the demonstration of bone. Stain Technology. (14):7–11.

Darocha, J.M. 1917. Staining of adult cartilage by Lundvall's methods. Anatomical Record. (13):447 –449.

Davis, S.J.M. - Payne, S. 1992. 101 ways to deal with a dead hedgehog: notes on the preparation of disarticulated skeletons for zoo-archaeological use. Circaeia 8(2):95-104.

Davis. D. D. – Gore, U. R. 1947. Clearing and staining skeletons. Fieldiana: Technique. (4):1–16.

Dawson, A. B. 1926. A note on the staining of the skeleton of cleared specimens with Alizarin Red S. Stain Technology. (1):123 –124.

Dingerkus., G. – Uhler, L. D. 1977. Enzyme clearing of Alcian Blue stained whole small vertebrates for demonstration of cartilage. Stain Technology. (52):229 –232.

Dirrigl, F.J., R.E. Dubos, and P.E. Rusch. 1993. An alternative method for preparing skeletons of fluidpreserved specimens using dermestid beetles. Herpetological Review. 24(3):93–94.

Fisher, C. - McInnes, G. 1981. An enzyme technique for the rapid preparation of osteological specimens. Guild of Taxidermists Newsletter. (8): 18–20.

Gamble, J. T. 1945. A combination bleaching-clearing agent and its use in the processing of Spalteholtz preparations. Stain Technology. (20):127 –128.

Glauser, P.W.- Kraus-Ruppert, R. 1980. Die Herstellung von Mazerationspräparaten des Beckengürtels zur Diagnostik und Demonstration. Der Präparator. (26): 181 –184.

Glauser, P. W.; Kraus-Ruppert, R. 1981. Zur Herstellung von Mazerationspräparaten der Halswirbel-säule. Der Präparator. (27): 125 –127.

Gordon. W. R. and L. Bennet 1938. Clearing and staining of embryos for demonstrating ossification. Stain Technology. (13):77 –81.

Green, M. C. 1952. A rapid method for clearing and staining specimens for the demonstration of bone. Ohio Journal of Science. (52):31-33.

Green, R. 1934. A rapid method of preparing clean bone specimens from fresh or fixed material. Anatomical Record. (61): 1-4.

Grittis, D. 1990. A new procedur efor dermestid beetle preparation of skeletons for formalin fixed specimen. Herpetol Rev. 21(1): 15-16.

Gross, J. E., and B. L. Gross. 1960. Jackrabbit humeri cleaned with Chlorox. Journal of Wildlife Management. (30):212.

Guthert, B. 1957. Eine neue mazeratinsamlage. Zbl. Path. Jena. (96):464 –468.

Hamon, J. H. 1964. The technique of preparing bird skeletons for study by maceration. American Biology Teacher. (26):428 –431.

Hardy, R. 1945. Dermestid beetles for cleaning skulls and skeletons in small quantities. Turtox News. 23(4):69 –70.

Harris, R.H. 1951. The use of enzymes in osteological. Mus. J. Lond. 12:57.

Harris, R.H. 1959. Small vertebrate skeletons. Museums J. 58(10):223 –224.

Hauck, C. 1966. Eine neue Knochenentfettung. Zschr.Gerichtmed. (57): 197.

Hill, F. C. 1975. Techniques for skeletonizing vertebrates. American Antiquity, 40(2): 215-219.

Hoffmeister, D. – Lee, M. 1963. Cleaning mammalian skulls with ammonium hydroxide. Journal of Mammalogy. 44(2): 283 –284.

Holderman, H. H. 1930. The value of spalteholz clearing method in the study of surgical and pathological specimens. Annals of Surgery. 91(3):473-477.

Hooper, E.T. 1956. Selection of fats by dermestid beetles dermestidae. Journal of Mammalogy. (37): 125-126.

Howell, A. B. 1919. An easy method of cleaning skulls. Journal of Mammalogy. 1(1):40-41.

Howell, A. B. 1920. A supplementary note on cleaning skulls. Journal of Mammalogy. 1(3):145.

Hubbel, G. 1958. The preparation of reptile skulls. Journal of the Ohio Herpetological Society. (1):15-17.

Hungar, L. D. 1969. Clearing and staining juvenile Pacific salmon for skeletal studies. Fisheries Research Board of Canada Technical Report. (123):1-4.

Chauhan, V. 1989. Maceration of bones by „antiformin“. Journal of the Institute of Anatomical Sciences. 3: 16.

Ivanchenko, O. F. – Ivanchenko, L.A. 1973. The use of Alcian Blue to stain the cartilaginous skeleton of fish larvae and fingerings in whole mounts. Journal of Ichthyology. (13):794-796.

Ivings, RG. 1989. The preparation of skeletal material. Journal of the Institute of Anatomical Sciences. (3): 12–15.

Jensh. R P – Brent, R. L. 1996. Rapid schedules for KOH clearing and Alizarin Red. Stain Tech. 41 (3): 179 –183.

Kerchoff , O.C. 1934b. Maceration and degreasing. Museum News 12(5):8.

King C, Birch, W. 2015. Assessment of maceration techniques used to remove soft tissue from bone in cut mark analysis. J Forensic Sci. 60(1):124-135.

Klein, R. 1964. Preparation of monkey skeletons using the dermestid beetle technique. American Biology Teacher. (26):426-427.

Kruger, M. 1988. Mazeration von osteologischem Material durch gezielten Einsatz von Mikroorganismen. Humboldt-Universitat zu Berlin.

Lambiris, A J. L. 1971. An experimental technique for staining and clearing frogs. Journal of the Herpetological Association of Africa. (7):23.

Lee, E.J.J. 2010. The effects of different maceration techniques on nuclear DNA amplification using human bone. Forensic Sci. 55(4):1032-8.

Laurie, E. M. O.- Hill, J. E., 1951. Use of Dermestid Beetles for Cleaning Mammalian Skeletons, The Museums Journal. 51 (7): 206-207.

Lipman, H. J. 1935. Staining the skeleton of cleared embryos with Alizarin Red S. Stain Technology. (10):61–63.

Lundvall, H. 1927. Farbung des Skeltettes in durchsichtigen Weichteilen. Anatomischer Anzeiger. (62):353 –373.

Maatz, R. – Bauermaister, A. 1957. A Method of Bone Maceration Results in Animal Experiments. J Bone Joint Surg Am. 39(1):153 –166.

Maus, K. 1974. Mazeration mit enzymhaltigen Waschmitteln. Dissertation Gericht med.

McComb, N. W. 1967. Preparing skeletons using dermestid beetles.
Connecticut Valley Biological Supply Co., Inc., Southampton, Massachusetts. 6 s.

McDonald, RA. - Vaughan, N. 1999. An efficient way to prepare mammalian skulls and bones.
Mammal Review. (29): 265 – 266.

Moran, J. F. 1955. Differential staining of bone and cartilage in toto of fish. Proceedings of the Indiana Academy of Science. (65):234 – 236.

Moser, P. 1906. Demonstration embryonaler Skelette. Anat. anz. (28): 629.

Nichols, C.W. 1941. A note on the use of synthetic glycerol (Shell) in the clearing. Stain techn. (16): 37-38.

Noback, G. J. 1916. The use of the van Wijhe method for the staining of the cartilaginous skeleton. Anatomical Record. (11):292 – 294.

Noback, G. J. 1944. Demonstration the ossous skeleton of human embryos. Stain Tech. (19): 511 – 514.

Noback, G. J. 1951. Sequences of appearance of ossification centers in the human skeleton during the first five prenatal months Am. J.Anat. (89): 1.

Norris, W. F. 1877. A New Method of Double Staining. American Journal of the Medical Sciences. 72(145):146-151.

Pick, L. 1928. Ein freistehender ohne Geruchsbelastigung Arbeitender macerationsapparat. Zentralblt. D. allg. Pathol und patol. Anatomie. (41): 1-4.

Reagan, F.P. 1926. A useful modification of a clearing fluid formulated by Spalteholz. University of California publications in zoology. (28):357-360.

Richmond, G.W. 1938. Clearing and staining embryos for demonstration. Stain Tech. (13):77-81.

Rocha, L. 1977. Demonstration of ossification centres in the human embryo. Philippine Journ. of Science. (12): 294.

Roche, J. 1954. Préparation des pièces ostéologues. Mammalia, 18(4):420 – 422.

Rosenthal, M. 1948. Rapid maceration technique. Bulletin of the International Association of Medical Museums and journal of technical methods (28): 174-178.

Sedra, S. N. 1950. Decreasing the time required for making an Alizarin skeleton preparation. Stain Technology (25):223-224.

Seibold, S. 1990. Fortentwicklung der spalteholzmethode zur gefabdarstellung unter verwendung einer neuen einbett-technik. The Journal of the American Medical Association.17(140):14–15.

Sandström, B. 1969. Enzymatic maceration of delicate bone and small skeletons. Acta Anatomica. (74):487–488.

Sashin, P. 1932. A Rapid and simple maceration of bones. Arch. Path. Chicago (13): 605-606.

Scharff, R. F. 1911. On a dry system of macerating bones. Museums Journal. (10): 198-200.

Simons, E. V. - Van Horn, J. R. 1971. A new procedure for whole-mount Alcian Blue staining of chicken embryos, adapted to the clearing procedure in potassium hydroxide. Acta Morphologica Neerlando-Scandinavica. (8):281–292.

Simons, E.V.-Van Horn J.R. 1971. An in-toto staining procedure for the cartilaginous skeleton of chicken embryos. Acta Morphologica Neerlando-Scandinavica (9): 138-139.

Snyder, RG. - Burdi, A - Gaul, G. 1975. A rapid technique for preparation of human fetal and adult skeletal material. J. Forensic Sci. 20(3):576-580.

Sommer, H. G., 1974. Cleaning Skeletons with Dermestid Beetles - Two Refinements in the Method. Curator. 17 (4): 290-298.

Springer, V.G. - Johnson, G.D. 2000. Use and Advantages of Ethanol Solution of Alizarin Red S Dye for Staining Bone in Fishes. Copeia. (1):300-301.

Stamand, G.- Stamand, W.. 1951. Shortening maceration time for Alizarin Red S preparations. Stain Technology (26):271.

Staples, RE. 1964. Refinements in rapid clearing technic in the koh-alizarin red s method for fetal bone. Stain Technol. (39):61-63.

Steinke H, Schmidt, W. 1991. Die Spalteholz-Technik und ihre Modifikationen. Anat. Anz. (86): 306.

Stephens BG. - Heglar R. J. 1989. Use of glue gun in forensic anthropology and pathologic bone reconstruction cases. J. Forensic Sci. 34(2):454 –457.

Stempin, A. 1981. Erarbeitung eines Verfahrens zur Mazeration von Knoche. Leipzig.

Tåning, ÅV. 1927. Direction of stainings fish with a view to racial investigation. J Coss. Lat. Exp. Mer. (2): 50-52.

Teichmann, D. 1887. Über Knochenmazeration. Anat. Anz. (2): 461.

Thilo, P. 1896. Die Darstellung der Knorpel-und Knochengeruste mit verdunnter schwefelsaure. Anat. Anz. (12): 244 –247.

Thompson, D.H. 1958. The preparation of skeletons. Museums Journal. (57): 282—287.

- Thompson, D.H. 1958. The preparation of skulls. *Mus Lond* (12): 57.
- Timm, R. M. 1982. Dermestids. *Field Museum of Natural History Bulletin*, 53(2):14–18.
- Thompson, M. P. – Robel, R. J. 1968. Skeletal measurement and maceration techniques for aging bobwhite quail. *Journal of Wildlife Management*. (32):247-255.
- True, RM. 1947. Staining of embryonic and small mammalian skeletal. *Stain techn*. (22):107-108.
- True, RM. 1948. Elimination of fat and protein prior to the selective staining of bone. *Stain Technology*. (23):111-122.
- Uhre, M.L. 2015. Enzymatic maceration of bone: a gentler technique than boiling. *Med. Sci. Law*. 55(2):90-96.
- Valcarel, A. – Johnson, D. L. 1981. A new dermestid repository for skeleton preparation. *Curator*, 24(4):261 – 264.
- Van Dijk, D.E. 1981. Embedding of alizarin skeletal preparations. *Bios*. (39): 73–75.
- Van Wijhe, J. W. 1902. A new method for demonstrating micro-skeletons. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen*. (5):47–51.
- Vorhies, C. T. 1948. A chest for dermestid cleaning of skulls. *Journal of Mammalogy*. (29): 188 –189.
- Ward, B. 1955. Preparing stained and cleared Embryous. *Wards Nat Sci Bull*. (29):7.
- Webber, C. 1978. Alizarin staining techniques with special reference to reptiles and amphibians. *Herpeto Fauna* 19(2): 2-7.
- Wiltshire, P.1989. The preparation of skeletal material for teaching purposes. *Journal of the Institute of Anatomical Sciences*. (3): 17–18.
- Wiles, I.A. 1939. Benzin oder tetrachlorkohlenstoff. *Zinna randschr. Prapar. Folge* (12):1-2.
- Wiles, P. 1932. A method for the disarticulation of skull bones. *Science*. (75): 516-517.
- Wilkinson, J.- Wilkinson, M. - Ben, J. - Pinder, S. 1992. Does persil wash whiter? Optimal preparation of osteological specimens for museum display. *Journal Of Pathology*. 168(suppl): 148a.
- Williams, T. W. 1941. Alizarin Red S and Toluidine Blue for differentiating adult and embryonic bone and cartilage. *Stain Technology* (16):22-25.
- Williams, T.W. 1944. Alizarin red s and toluidine blue for differentiating adult or embryo. *Stain Tech*. (16):423-428.

Zander, L. 1886. Knochen mazeration. Anat. Anzeiger. (1): 25-28.

Zug, G. R. – Crombie, R. I. 1970. Modifications of the Taylor enzyme method of clearing and staining for amphibians and reptiles. Herpetological Review. 2(3):49-50.